



Qlik Sense Desktop

Qlik Sense®

May 2024

Copyright © 1993-2025 QlikTech International AB. All rights reserved.

1 About this document	5
2 Comparing versions of Qlik Sense	6
3 Installing Qlik Sense Desktop	7
3.1 System requirements	7
3.2 What is included in Qlik Sense Desktop	8
Desktop items and start menu items	8
Qlik Sense Desktop installation location	8
Examples, apps and logs	8
3.3 Obtaining the setup file	8
3.4 Installing Qlik Sense Desktop	8
Qlik Sense Desktop standard installation	8
Qlik Sense Desktop custom installation	9
3.5 Upgrading Qlik Sense Desktop	10
App migration	11
3.6 Qlik Sense Desktop ports	11
3.7 Qlik Sense Desktop storage	11
Default storage	11
Portable format	11
3.8 Modifying extension bundles installation	11
3.9 Repairing Qlik Sense Desktop	12
3.10 Uninstalling Qlik Sense Desktop	12
3.11 Silent installation of Qlik Sense Desktop	13
Syntax	13
Commands	14
Arguments	14
Examples	15
4 Downloading installation files	16
5 Starting Qlik Sense Desktop	17
5.1 Authenticating against Qlik Sense SaaS	17
Download and authenticate Qlik Sense Desktop	17
5.2 Authenticating against Qlik Sense Enterprise server	17
Retrieving a client authentication link from the Qlik Sense Enterprise hub	18
Receiving the client authentication link from your administrator	18
Receiving a hubs.ini file from your administrator	19
5.3 Opening Qlik Sense Desktop in a web browser	19
6 The hub in Qlik Sense Desktop	20
6.1 A: Toolbar	20
6.2 B: Login information	21
6.3 C: Create new app	21
6.4 D: Work	21
6.5 E: Main area	21
6.6 F: Getting started	21
7 Opening an app in Qlik Sense Desktop	22
7.1 Opening an app from the hub	22
7.2 Opening an app from outside the hub	22

8 Moving an app from a Qlik Sense Desktop installation	23
8.1 Moving an app created in your current installation of Qlik Sense Desktop	23
8.2 Moving an app created in an older installation of Qlik Sense Desktop	23
8.3 Moving an app to another Qlik Sense platform	24
9 Troubleshooting - Qlik Sense Desktop	25
9.1 I cannot install Qlik Sense Desktop	25
9.2 I cannot find the log files for Qlik Sense Desktop	25
9.3 I cannot find the installation log files for Qlik Sense Desktop	25
9.4 My session expired	25
9.5 App thumbnails are missing in the hub	25
9.6 Images are missing when moving an app	26
9.7 I dropped my qvw file onto the hub, and now I cannot find the qvw file, and my app is not available in the hub	26
9.8 I cannot open an app	26
9.9 I cannot download data from an object	27

1 About this document

Read and learn about the areas where Qlik Sense Desktop differs from Qlik Sense.

This document is derived from the online help for Qlik Sense. It is intended for those who want to read parts of the help offline or print pages easily, and does not include any additional information compared with the online help.

You find the online help, additional guides and much more at help.qlik.com/sense.

2 Comparing versions of Qlik Sense

There are some differences between Qlik Sense Desktop and Qlik Sense Enterprise:

- You can only run Qlik Sense Desktop on your local Windows computer - use of multiple screens or tablets, for example, is not supported.
- Apps cannot be published in Qlik Sense Desktop, and because of this, there is no support for streams.
- Security functionality is not supported in Qlik Sense Desktop.
- There is no autosave function in Qlik Sense Desktop – you have to save your work manually by clicking **Save** in the toolbar. The app is automatically saved when reloading the script.
- Duplicating apps is not supported in Qlik Sense Desktop.
- Qlik Sense Desktop will run in the language of your operating system and the language cannot be altered.
- Dynamic views are not supported in Qlik Sense Desktop.




3 Installing Qlik Sense Desktop

This section describes how to install Qlik Sense Desktop on your computer.

3.1 System requirements

To successfully install and run Qlik Sense Desktop, the requirements listed in this section must be fulfilled.

Qlik Sense Desktop requirements

Operating system	Microsoft Windows 10 (64-bit version only) Microsoft Windows 11
Processors (CPUs)	Intel Core 2 Duo or higher recommended. Advanced Vector Extensions (AVX) support.
Memory	4 GB minimum (depending on data volumes, more may be required). <div style="border: 1px solid #ccc; padding: 5px; margin-top: 10px;">  <i>Qlik Sense uses an in-memory analysis technology. The memory requirements are directly related to the amount of data being analyzed.</i> </div>
Disk space	5.0 GB total required to install
.NET framework	4.8 or higher
Security	Local admin privileges needed to install.
Minimum screen resolution	<ul style="list-style-type: none"> • Desktops, laptops and tablets: 1024x768 • Small screens: 320x568
Browser support	<ul style="list-style-type: none"> • Microsoft Edge • Google Chrome • Mozilla Firefox <div style="border: 1px solid #ccc; padding: 5px; margin-top: 10px;">  <i>By default, Qlik Sense Desktop runs in a window of its own. But you can also open it in a web browser.</i> </div> <div style="border: 1px solid #ccc; padding: 5px; margin-top: 10px;">  <i>Mozilla Firefox requires hardware acceleration, not supported in virtual environments.</i> </div>

3.2 What is included in Qlik Sense Desktop

Desktop items and start menu items

After having completed your installation of Qlik Sense Desktop, a shortcut will be available from the desktop as well as from the **Start** menu (**Start > All Programs**):

- Shortcut to Qlik Sense Desktop
The hub is the starting point when you run Qlik Sense. That is where you find all the Qlik Sense apps that you have created.

Qlik Sense Desktop installation location

After having completed your installation of Qlik Sense Desktop, Qlik Sense Desktop is installed to *Users\{user}\AppData\Local\Programs\Qlik*.

You can also specify the installation location with the **Custom Installation** option.


Examples, apps and logs

There are some example files included in the installation of Qlik Sense Desktop. These are installed to *Users\{user}\Documents\Qlik\Examples*. For example, a number of extension code examples are installed to the *Extensions* sub-folder.

The installation of Qlik Sense Desktop also comes with example apps. These are installed to *Users\{user}\Documents\Qlik\Sense\Apps*.

In your installation of Qlik Sense Desktop, logs are found in *Users\{user}\Documents\Qlik\Sense\Log*.

3.3 Obtaining the setup file

The *Qlik_Sense_Desktop_setup.exe* file can be obtained from  [Product Downloads](#). Save it to a folder on your computer.

3.4 Installing Qlik Sense Desktop

You can either perform a standard installation, where installation and storage locations are set to default options, or specify the locations in a custom installation.

Qlik Sense Desktop standard installation

Do the following:

1. Double-click *Qlik_Sense_Desktop_setup.exe* to start the installation.
The welcome dialog is displayed.
2. Click **Install** if you want to perform a standard installation.

The **License agreement** dialog is displayed.

3. Read the license agreement, select **I accept the license agreement**, and click **Next**.



You also have the option to print the license agreement to a local printer.

4. On the **Ready to install** screen, optionally select to create a desktop shortcut. Click **Install**.
5. In the **Extension bundles** section, optionally select to install the extension bundles. Then, select which extension bundles you want to install from the list of those available for your Qlik Sense installation.

You can always add or remove extension bundles from your Qlik Sense installation at a later moment. See: *Modifying extension bundles installation (page 11)*.

6. If you have chosen not to install the extension bundles, click **Install**. Otherwise, click **Next**.
7. If you are installing any of the extension bundles, accept the extension bundle license agreement. Then, click **Install**.
8. When the installation has completed, the **Installation summary** is displayed. Click **Finish** to close the **Installation summary**.

You have now successfully installed Qlik Sense Desktop on your computer.

Qlik Sense Desktop custom installation

Do the following:

1. Double-click on *Qlik_Sense_Desktop_setup.exe* to start the installation.

The welcome dialog is displayed.

2. Click **Custom Installation**.

The **License agreement** dialog is displayed.

3. Read the license agreement, select the **I accept the license agreement** check box, and click **Next**.



You also have the option to print the license agreement to a local printer.

4. Type or browse to the location where you want to install Qlik Sense Desktop and click **Next**.



Qlik Sense Desktop cannot be installed in locations where administrator rights are required, for example C:\Program Files.

5. Type or browse to the location where you want Qlik Sense Desktop to store app content, and click **Next**.
6. On the **Ready to install** screen, optionally select to create a desktop shortcut. Click **Install**.

7. In the **Extension bundles** section of the **Ready to install** screen, optionally select to create a desktop shortcut. Then, select which extension bundles you want to install from the list of those available for your Qlik Sense installation.

You can always add or remove extension bundles from your Qlik Sense installation at a later moment. See: *Modifying extension bundles installation (page 11)*.

8. If you have chosen not to install the extension bundles, click **Install**. Otherwise, click **Next**.
9. If you are installing any of the extension bundles, accept the extension bundle license agreement. Then, click **Install**.
10. When the installation has completed, the **Installation summary** is displayed. Click **Finish** to close the **Installation summary**.

You have now successfully installed Qlik Sense Desktop on your computer, using customized installation and storage locations.



To silently install Qlik Sense Desktop, see [Silent installation of Qlik Sense Desktop \(page 13\)](#).

3.5 Upgrading Qlik Sense Desktop

The upgrade option is available when Qlik Sense has been previously installed and a newer version of the setup file *Qlik_Sense_Desktop_setup.exe* is executed.

Do the following:

1. Double-click on *Qlik_Sense_Desktop_setup.exe* to start the installation.
The welcome dialog is displayed.
2. Click **UPGRADE**.
The **License agreement** dialog is displayed.
3. Read the license agreement and then tick the **I accept the license agreement** check box (if this is the case) and click **Next**.



You also have the option to print the license agreement to a local printer.

The **Ready to install** dialog is displayed.

4. Click **Upgrade** to start the installation.
When the installation has completed, the **Installation summary** is displayed.
5. Click **Finish** to close the **Installation summary**

You have now successfully upgraded to a newer version of Qlik Sense Desktop.



To silently upgrade Qlik Sense Desktop, see [Silent installation of Qlik Sense Desktop \(page 13\)](#).

App migration

After upgrading Qlik Sense Desktop, apps need to be migrated to ensure compatibility. In the hub, app thumbnails are not displayed before the app is migrated.

Migration is performed automatically when you open an app for the first time after an upgrade. Before an app is migrated, a backup copy is created in `Users\{user}\Documents\Qlik\Sense\AppsBackup`. You can use the backup copy if you want to open the app in a previous version of Qlik Sense Desktop.

3.6 Qlik Sense Desktop ports

Qlik Sense Desktop uses port 4848 by default.

3.7 Qlik Sense Desktop storage

This section describes where the Qlik Sense apps are stored when running Qlik Sense Desktop.

Default storage

By default, Qlik Sense stores apps in the local file system under `C:\Users\{user}\Documents\Qlik\Sense`.

Portable format

A Qlik Sense app can be stored in the local file system in the proprietary `.qvf` format, which is a portable format.

A single app is stored as `<AppName>.qvf`, where `<AppName>` is the title of the app.

3.8 Modifying extension bundles installation

You can add or remove extension bundles from your Qlik Sense Desktop installation at any moment.

Do the following:

1. In **Control Panel**, open **Programs and Features**.
2. In the list of programs, double-click the extension bundle that you want to modify.
3. The Extension Bundle Setup Wizard opens. Click **Next**.
4. Select **Change**.
5. On the **Custom setup** screen, click on the bundle icon to select how to modify the bundle installation:
 - If the bundle is installed, select **Entire feature will be unavailable** to uninstall it.
 - If the bundle is not installed, select **Entire feature will be installed on local hard drive** to install it.

Then, click **Next**.

6. Click **Change**.
7. Click **Finish** to close the Extension Bundle Setup Wizard.

3.9 Repairing Qlik Sense Desktop

The **Repair** option restores all missing files, shortcuts and registry values.

Do the following:

1. To start repairing the installation, open the **Control Panel** and select **Uninstall a program**. Then select Qlik Sense Desktop from the list of programs and click **Change**.

The Qlik Sense Desktop **Setup maintenance** dialog is displayed.



You can also perform this action by double-clicking the Qlik_Sense_Desktop_setup.exe file.

2. Click **REPAIR**.
The **Ready to repair** dialog is displayed.
3. Click **Repair**.
The repair starts and the progress is displayed.
4. When the repair process is finished, the **Repair summary** dialog is displayed to confirm that Qlik Sense Desktop has been repaired successfully.
5. Click **Finish**.

You have now successfully repaired your Qlik Sense Desktop installation.



To silently repair Qlik Sense Desktop, see Silent installation of Qlik Sense Desktop (page 13).

3.10 Uninstalling Qlik Sense Desktop

Do the following:

1. To start uninstalling Qlik Sense Desktop, open the **Control Panel** and select **Uninstall a program**. Then select Qlik Sense Desktop from the list of programs and click **Uninstall**.
A confirmation dialog is displayed asking if you are sure that you want to uninstall Qlik Sense Desktop from your computer.



You can also uninstall Qlik Sense Desktop by double-clicking the `Qlik_Sense_Desktop_setup.exe` file and then selecting **Uninstall** from the maintenance dialog. In that case, you must use the correct version of the setup file when modifying your Qlik Sense Desktop installation, that is the same version used when installing Qlik Sense Desktop.

2. Click **Uninstall**.

The uninstall process starts and the progress is displayed.

3. When the uninstall process is finished, the **Uninstall summary** dialog is displayed to confirm that Qlik Sense Desktop has been uninstalled successfully.
4. Click **Finish**.

You have now uninstalled Qlik Sense Desktop.



To silently uninstall Qlik Sense Desktop, see *Silent installation of Qlik Sense Desktop* (page 13).

3.11 Silent installation of Qlik Sense Desktop

When running a silent installation, Qlik Sense Desktop is installed with no dialogs at all. This means all features, properties and user selections have to be known before performing a silent installation. All setup options that are available in the user interface of the installer can be performed with silent operations.

Do the following:



1. Select **Start > All Programs > Accessories > Command Prompt**. The **Command Prompt** window is displayed.
2. In the **Command Prompt** window, navigate to the folder containing the `Qlik_Sense_Desktop_setup.exe` file.
3. Enter `Qlik_Sense_Desktop_setup.exe` followed by the silent installation syntax preferred.

Syntax

```
Qlik_Sense_Desktop_setup.exe [-silent] [-uninstall] [-repair] {-log path\filename} {layout=path} {accepteula=1|0} {desktopshortcut=1|0} {installdir=path} {storagepath=path} {bundleinstall=dashboard|visualization}
```

```
Qlik_Sense_Desktop_setup.exe -? or -h      Brings up the on-screen silent setup help.
```


Commands

<code>-silent (or -s)</code>		Command line-driven setup without UI (mandatory).
<code>-uninstall</code>		Uninstall the product silently. It must be used with <code>-silent</code> command.
<code>-repair</code>		Repair the product silently. It must be used with <code>-silent</code> command.
<code>-log (or -l)</code>	[log file name with path]	Log file directory and log file name.  <i>The user must have access to this directory.</i>
<code>-layout</code>	[destination directory]	Extracts files (including <code>.msi</code> files) to the destination directory.  <i>This argument should not be combined with other command line arguments.</i>

Arguments

Arguments are separated by space and presented in the form `[Argument]="[Value]"`. The double quotes can normally be omitted but may be needed, for example, when a path contains spaces.

The default values are the same as those used in the setup user interface.

<code>accepteula</code>	1 0	Accepts the Qlik User License Agreement.  <i>This argument is mandatory when installing or upgrading, and you must accept the QULA to install successfully.</i>
<code>desktopshortcut</code>	1 0 (defaults to 1 on clean installs)	Installs desktop shortcuts.
<code>installdir</code>	[path to custom install directory]	Defines the directory if the default install directory will not be used. Default install directory: <code>%LocalAppData%\Programs.</code>

3 Installing Qlik Sense Desktop

<code>storagepath</code>	[path to custom directory used for apps, logs, extensions]	Defines the path to custom directory used for apps, logs, extensions. Must be supplied with the <code>installdir</code> parameter. Default storage path: <code>C:\Users\{user}\Documents\Qlik\Sense</code> .
<code>bundleinstall</code>	<code>dashboard,visualization</code>	Includes the dashboard and visualization bundles.

Examples

Install or upgrade Qlik Sense Desktop

The following example installs Qlik Sense Desktop or upgrades the current setup.

```
Qlik_Sense_Desktop_setup.exe -s accepteula=1
```

Install Qlik Sense Desktop with object bundles

The following example installs Qlik Sense Desktop, including the Dashboard and Visualization object bundles.

```
Qlik_Sense_Desktop_setup.exe -s accepteula=1  
bundleinstall=dashboard,visualization
```

Install Qlik Sense Desktop without desktop shortcuts

The following example installs Qlik Sense Desktop without desktop shortcuts. Additionally, the installation logs are created in a custom folder.

```
Qlik_Sense_Desktop_setup.exe -s -l c:\mylogpath desktopshortcut=0  
accepteula=1
```

Repair Qlik Sense Desktop

The following example repairs an existing installation of Qlik Sense Desktop.

```
Qlik_Sense_Desktop_setup.exe -s -repair
```

Uninstall Qlik Sense Desktop

The following example uninstalls Qlik Sense Desktop.

```
Qlik_Sense_Desktop_setup.exe -s -uninstall
```

4 Downloading installation files

Qlik Cloud makes use of utilities and connectors that are installed on your own systems. These tools are available for administrators to download from the **Tools** page in Qlik Cloud or from the Qlik Download Site. You can find the site in Qlik Community under Support > Product News > Downloads.

Do the following:

1. In Qlik Cloud, click your profile icon in the top right-hand corner, and then click **Profile settings**.
2. Under **Other**, click **Tools**.
3. Select a file to download.

Alternatively, do the following:

1. Go to [Product Downloads](#).
2. Select **Qlik Data Analytics** or **Qlik Data Integration**, and then select your product.
3. Use the filters to narrow your list of possible downloads.
4. Click a link in the **Download Link** column in the **Download Assets** table to start the download.

Example from the **Download Site** where the files have been filtered on product and release.

The screenshot shows the Qlik Download Site interface. At the top, there are buttons for 'Qlik Data Analytics', 'Qlik Data Integration', 'Search All', 'Clear Filter', and 'Feedback?'. Below these are four filter dropdowns: 'Visibility' (set to 'All releases and all patches'), 'Product' (set to 'Qlik Sense Enterprise on Windows'), 'Release' (set to 'November 2022'), and 'Release Number' (set to 'Initial Release'). Below the filters is a table of download assets.

Product	Release	Num...	Version	Publish...	End of Supp...	Release N...	Size	Download Link
Qlik Sense Enterpris...	November 20...	Initial Rele...	v14.97.3	08 Nov 2022	https://community...	Release Notes	1,282 MB	Qlik_Sense_setup.exe

5 Starting Qlik Sense Desktop

You start Qlik Sense Desktop from the **Start menu** under the Qlik Sense program group.

Before you can start using Qlik Sense Desktop, you need to authenticate yourself against a Qlik Sense Enterprise server. You need to have a working network connection to enable authentication.

After you have been authenticated once, internet access is not required to continue using Qlik Sense Desktop. However, you have to re-authenticate yourself if thirty days have passed since you last authenticated, if you have logged out, or if your administrator has revoked your user access for Qlik Sense Enterprise server. If you are using SAML authentication and close the browser, the session ends and the cookie is deleted so you must re-authenticate yourself to start a new session.



Qlik Sense Desktop runs in the language of your operating system and the language cannot be altered, unless you open and run Qlik Sense Desktop in a web browser.

5.1 Authenticating against Qlik Sense SaaS

You can authenticate your Qlik Sense Desktop client against Qlik Sense SaaS. To do so, you must generate an authentication link.

How to Authenticate Qlik Sense Desktop with Qlik Sense SaaS

Download and authenticate Qlik Sense Desktop

Do the following:

1. Open the hub. For more information about the hub, see *The hub in Qlik Sense Desktop (page 20)*.
2. Click your profile in the top right corner and select **Profile settings**.
3. Under **Other**, select **Tools**.
4. Under **Qlik Sense Desktop**, click **Download** to download Qlik Sense Desktop.
5. Install Qlik Sense Desktop.
6. Click **Authenticate** to add a server authentication link to your Qlik Sense Desktop installation. You can then click on that link in Qlik Sense Desktop to authenticate.

5.2 Authenticating against Qlik Sense Enterprise server

If you have user access for Qlik Sense Enterprise, you can authenticate against the Qlik Sense Enterprise server when you start Qlik Sense Desktop.

Before you can authenticate, the Qlik Sense Enterprise authentication link must be generated by your administrator in the Qlik Management Console.

Your Qlik Sense administrator will provide you with information about how you can receive the link using one of the following methods:

- Retrieving the client authentication link from your Qlik Sense Enterprise hub .
- Receiving the client authentication link from your administrator.
- Receiving a hubs.ini file from your administrator that contains the authentication link.

Qlik Sense Desktop must be installed on your computer before you start any of the following procedures.



Client authentication is not supported on test servers.

Retrieving a client authentication link from the Qlik Sense Enterprise hub

Do the following:

1. Start Qlik Sense Enterprise.
2. Click **☰** in the top toolbar of the hub, and then click **Client authentication**.
3. A dialog box opens asking you to confirm that you want to open the authentication link using the Qlik Sense. Confirm the dialog.
Qlik Sense Desktop opens and a new authentication button for the enterprise server is added to the welcome page under **Authenticate against Qlik Sense Enterprise**.
4. Click the authentication button to log in. You may be asked to enter your Qlik Sense Enterprise credentials.
You are now authenticated and Qlik Sense Desktop opens.

After this, when you launch Qlik Sense Desktop, you can click the authentication button and log in using your Qlik Sense Enterprise credentials.

Receiving the client authentication link from your administrator

Do the following:

1. Click the authentication link provided by your Qlik Sense administrator.
If you cannot click the link, copy the link into your browser and press return.
If you are using Google Chrome, you must select the link option from the address bar that does not say **Google Search**.



2. A dialog box opens asking you to confirm that you want to open the authentication link using the Qlik Sense. Confirm the dialog.
Qlik Sense Desktop opens and the authentication link is added to the welcome page under **Authenticate against Qlik Sense Enterprise**.

3. Click the authentication link. You may be asked to enter your Qlik Sense Enterprise credentials.

You are now authenticated and Qlik Sense Desktop opens.

After this, when you launch Qlik Sense Desktop, you can click the authentication button and log in using your Qlik Sense Enterprise credentials.

Receiving a hubs.ini file from your administrator

Do the following:

1. Copy the *hubs.ini* file that was provided to you by your administrator to the following location: `C:\Users\<user name>\Documents\Qlik\Sense\Hubs\`.
The next time that you launch Qlik Sense Desktop, an authentication link will be added to the welcome page under **Authenticate against Qlik Sense Enterprise**.
2. Click on the authentication link. You may be asked to enter your Qlik Sense Enterprise credentials.
You are now authenticated and Qlik Sense Desktop opens.

After this, when you launch Qlik Sense Desktop, you can click the authentication button and log in using your Qlik Sense Enterprise credentials.

5.3 Opening Qlik Sense Desktop in a web browser

By default, Qlik Sense Desktop runs in a window of its own. But you can also open it in a web browser.

You must log in using Qlik Sense Desktop before you can open it in a web browser.

Do the following:

1. Start Qlik Sense Desktop from the start menu.
2. Open a (supported) web browser.
3. Type `http://localhost:4848/hub` in the browser address bar.

Qlik Sense Desktop opens in the web browser, showing the hub with all your apps.




You can now alter the language of Qlik Sense Desktop.

6 The hub in Qlik Sense Desktop

When Qlik Sense Desktop starts up, you arrive at the hub. The hub is where you find all your apps. Click an app in the hub to open it in a separate tab.

The Qlik Sense Desktop hub with the Work view open.



6.1 A: Toolbar






The toolbar contains the global menu and other useful commands.

Toolbar options

UI item	Description
☰	Toggle on and off the navigation menu
🔍	You can search to easily find a specific app.
⋮	Global menu with options Dev Hub , Help and About . You can click the Client authentication link to enable using Qlik Sense Desktop.


6.2 B: Login information

Login information options

UI item	Description
	Your login information is displayed when you are logged in. Depending on how the Qlik Sense system has been set up, you may have to log in by clicking the Log in button. When logged in, you can click  and then click  in the pop-up menu, to open the Profile dialog with the following information: User ID and User directory .
Log out	Click  and then click  in the pop-up menu to log out.

6.3 C: Create new app

App options

UI item	Description
Create new app	Create a new app. The button is only available if you have permission to create apps.
↑≡	You can sort the apps alphabetically , by created date, or by published date, descending or ascending.
	Toggle between grid view and list view of the hub, depending on what kind of overview you prefer.

6.4 D: Work

Personal with all your own apps under **Work**.

6.5 E: Main area

All your apps are displayed in the main area.

6.6 F: Getting started

Go to the Qlik Sense Desktop webpage to learn more about how to get started with Qlik Sense Desktop.

7 Opening an app in Qlik Sense Desktop

With Qlik Sense Desktop, you can open apps from the hub, or from a file location.

7.1 Opening an app from the hub

You open an app from the hub by clicking it.

7.2 Opening an app from outside the hub

With Qlik Sense Desktop, you can open an app that is not in the hub. You can do this in two ways.

- Navigate to where you keep your app, and drag it to the hub.
- You can also copy the app using Ctrl+C, and then open it in the hub using Ctrl+O.



If you want the app to be part of your hub content, you can move the app file (with extension .qvf) to the app directory, typically <user>\Documents\Qlik\Sense\Apps.

8 Moving an app from a Qlik Sense Desktop installation

When you save an app that you have created in Qlik Sense Desktop, the images included in the app are bundled together with the rest of the contents of the app. This makes it easier to share an app with another person, or to move the app to another computer.

You can move an app that you have created in Qlik Sense Desktop, including its images, to another computer with Qlik Sense Desktop, for example by e-mailing the app.

8.1 Moving an app created in your current installation of Qlik Sense Desktop

If the app is created in your current installation of Qlik Sense Desktop, the images in the app are automatically bundled together with the rest of the contents of the app.

Do the following:

1. Create an app using Qlik Sense Desktop.
2. Save the app.
3. Locate the app on your hard drive. The default location is `<user>\Documents\Qlik\Sense\Apps`.
4. Copy the app to, for example, a portable device.
5. Paste the app in the *Apps* folder on another computer with Qlik Sense Desktop.

The app is now available from the hub.

8.2 Moving an app created in an older installation of Qlik Sense Desktop

If your app was created in an older version of Qlik Sense Desktop, prior to version 2.0, the images in the app are not bundled together with the rest of the contents of the app. You must open and save the app before the app is moved.

Do the following:

1. Open the app using the new version of Qlik Sense Desktop.
2. Make a change in the app.
3. Save the app.
Now the images included in the app are bundled together with the rest of the contents of the app.
4. Locate the app on your hard drive. The default location is `<user>\Documents\Qlik\Sense\Apps`.

8 Moving an app from a Qlik Sense Desktop installation

5. Copy the app to, for example, a portable device.
6. Paste the app in the *Apps* folder on another computer with Qlik Sense Desktop.

The app is now available from the hub.

8.3 Moving an app to another Qlik Sense platform

You can move an app created in Qlik Sense Desktop to a different Qlik Sense environment, for example Qlik Sense Enterprise. To move the app you will have to copy it to your computer, and then upload the app to the Qlik Sense environment of your choosing.

The app will be available from the hub.



If you move a Qlik Sense Desktop app to a Qlik Sense environment, you need to handle the images separately. The same applies when moving an app that was created using Qlik Sense.

9 Troubleshooting - Qlik Sense Desktop

This section describes problems that are specific to Qlik Sense Desktop.

9.1 I cannot install Qlik Sense Desktop

Possible cause

The system requirements are not fulfilled, or you do not have local administrator privileges to install.

9.2 I cannot find the log files for Qlik Sense Desktop

The location of the log files in Qlik Sense Desktop depends on where you installed the application.

The default location is `<user>\Documents\Qlik\Sense\Log`.

9.3 I cannot find the installation log files for Qlik Sense Desktop

If you click **Cancel** during installation, or the installation did not complete successfully, you can find detailed information in the installation log located in your **temp** folder accessed with the environment variable `%temp%`.

9.4 My session expired

I was using Qlik Sense Desktop, logged in with my Qlik Sense Enterprise server credentials. Then I received the error message **Your session has expired** and now I cannot log in again.

Possible cause

You do not have user access or professional access on the Qlik Sense Enterprise server anymore.

Proposed action

Ask your administrator to give you user access or professional access.

9.5 App thumbnails are missing in the hub

Possible cause

You have upgraded Qlik Sense Desktop to a newer version. In the hub, app thumbnails are not displayed before the app is migrated.

Proposed action

Open the app. Migration is performed automatically when you open an app for the first time after an upgrade.

9.6 Images are missing when moving an app

Possible cause

You have upgraded Qlik Sense Desktop to a newer version, and the app you want to move was created in a Qlik Sense Desktop installation prior to version 2.0.

Proposed action

Before moving the app to another computer, open the app with your new version of Qlik Sense Desktop. Make a change and save the app.

The images included in the app are now bundled together with the rest of the contents of the app.

9.7 I dropped my qvw file onto the hub, and now I cannot find the qvw file, and my app is not available in the hub

Possible cause

You have dragged your QlikView document (qvw file) from a folder and dropped it onto the Qlik Sense Desktop hub, to open it as a Qlik Sense app.

When you make changes to the app and save the app, the following happens:

- The app is saved into the Qlik Sense format (qvf file) in the folder where your QlikView document (qvw file) was stored.
- Also, the QlikView document file (qvw) is removed from the folder and automatically converted into a backup file (qvw.backup) stored here:
`<user>\Documents\Qlik\Sense\AppsBackup.`

Proposed action

If you want to open the backup file, you find it in this folder:

`<user>\Documents\Qlik\Sense\AppsBackup.`

If the Qlik Sense app (qvf file) becomes stored in another folder than

`<user>\Documents\Qlik\Sense\Apps`, move it to the `Apps` folder to make it available from the hub.

9.8 I cannot open an app

When I try to open an app this error message is displayed: **The object could not be saved.**

Possible cause

The total path length for backing up the app exceeds the maximum of 260 characters.

The total path includes the backup directory, the product version and the timestamp of the backup date and the app name: <user>\Documents\Qlik\Sense\AppsBackup\<app name>

Proposed action

Rename the qvf file to shorten the total path. This will enable opening the app.

9.9 I cannot download data from an object

When I try to download data from an object, using Qlik Sense Desktop, this error message is displayed: **The object could not be saved.**

Possible cause

The object's title length is too long. It exceeds the maximum of 174 characters.

Proposed action

Shorten the title of the object. This will enable download data.