



# Tutorial - Building an App

Qlik Sense®

May 2025

Copyright © 1993-2026 QlikTech International AB. All rights reserved.



---

|                                                                       |           |
|-----------------------------------------------------------------------|-----------|
| <b>1 Welcome to this tutorial!</b>                                    | <b>5</b>  |
| 1.1 About this tutorial                                               | 5         |
| 1.2 Prerequisites                                                     | 5         |
| 1.3 Building an app                                                   | 5         |
| 1.4 Further reading and resources                                     | 6         |
| <b>2 Making preparations</b>                                          | <b>7</b>  |
| 2.1 Opening Qlik Sense                                                | 7         |
| Opening Qlik Sense Enterprise                                         | 7         |
| Opening Qlik Sense Desktop                                            | 7         |
| 2.2 Placing tutorial source files                                     | 7         |
| Placing tutorial source files in Qlik Sense Enterprise                | 7         |
| Placing tutorial source files in Qlik Sense Desktop                   | 7         |
| <b>3 Creating a new app</b>                                           | <b>8</b>  |
| 3.1 Creating a new app in Qlik Sense Enterprise or Qlik Sense Desktop | 8         |
| <b>4 Adding data</b>                                                  | <b>9</b>  |
| 4.1 Loading data from the first data file in Qlik Sense Enterprise    | 9         |
| Loading data from the first data file in Qlik Sense Desktop           | 10        |
| 4.2 Adding the Sales rep file                                         | 12        |
| 4.3 Associating data                                                  | 13        |
| 4.4 Adding and associating more data                                  | 13        |
| 4.5 Loading data                                                      | 15        |
| 4.6 Regional settings                                                 | 15        |
| 4.7 Loading data                                                      | 16        |
| Viewing the data model                                                | 16        |
| <b>5 App design</b>                                                   | <b>18</b> |
| 5.1 Creating the sheets                                               | 18        |
| <b>6 The first sheet: Dashboard</b>                                   | <b>23</b> |
| 6.1 Creating visualizations                                           | 23        |
| 6.2 Adding the filter panes                                           | 23        |
| 6.3 Adding the pie chart                                              | 24        |
| 6.4 Adding the bar chart                                              | 25        |
| 6.5 Adding the combo chart                                            | 26        |
| 6.6 Adding the KPI                                                    | 26        |
| 6.7 Adding the gauge                                                  | 27        |
| 6.8 Adding the line chart                                             | 28        |
| <b>7 The second sheet: Product Details</b>                            | <b>30</b> |
| 7.1 Adding the filter panes                                           | 30        |
| 7.2 Adding the bar chart                                              | 30        |
| 7.3 Adding the treemap chart                                          | 31        |
| <b>8 The third sheet: Customer Details</b>                            | <b>32</b> |
| 8.1 Adding filter panes                                               | 32        |
| 8.2 Adding the scatter plot                                           | 32        |
| 8.3 Adding the Customer KPIs table                                    | 33        |
| Adjusting the number formatting                                       | 33        |

---

|                                                                                  |           |
|----------------------------------------------------------------------------------|-----------|
| 8.4 Converting the Customer KPIs table to a pivot table .....                    | 33        |
| Converting the table .....                                                       | 34        |
| <b>9 The fourth sheet: Customer Location .....</b>                               | <b>35</b> |
| 9.1 Adding filter panes .....                                                    | 35        |
| 9.2 Adding the map .....                                                         | 35        |
| <b>10 The fifth and sixth sheets: Insights sheet and Manager dashboard .....</b> | <b>37</b> |
| 10.1 Creating a bar chart from a search .....                                    | 38        |
| 10.2 Creating a Multi KPI from a search .....                                    | 39        |
| 10.3 Creating charts from analysis types .....                                   | 39        |
| 10.4 Create a sheet from analysis types .....                                    | 40        |
| <b>11 Data storytelling .....</b>                                                | <b>41</b> |
| 11.1 Taking snapshots .....                                                      | 41        |
| 11.2 Creating a simple story .....                                               | 42        |
| Slide 1 .....                                                                    | 42        |
| Slide 2-4 .....                                                                  | 43        |
| 11.3 Thank you! .....                                                            | 44        |

# 1 Welcome to this tutorial!

Welcome to this tutorial, which will introduce you to app building in Qlik Sense. Qlik Sense is a software product that is used to extract and present data in an intuitive and easy-to-use interface. You extract data by making selections in Qlik Sense. When you make a selection, the app immediately filters the data and presents all associated items. If you want to learn more about selections, go through the *Tutorial - Beginning with the Basics* that is available at [help.qlik.com](https://help.qlik.com). In this tutorial, the focus is on app building.

## 1.1 About this tutorial

This tutorial guides you through the building of an app from scratch. You start with an empty sheet and finish with a good-looking app!

It is assumed that you are familiar with the basics of Qlik Sense. You know how to make selections and how to interpret the results of your selection.

These are some of the subjects in this tutorial:

- Data loading
- App design
- Visualization creation
- Reuse of visualizations, dimensions and measures
- Data storytelling

When you have completed the tutorial, you should have a fair understanding of the different steps involved in the building of a Qlik Sense app. You will also be aware of some of the necessary considerations related to the design of the app.

Depending on the Qlik Sense platform that you are using, the screenshots in this tutorial may differ slightly from what you see in Qlik Sense.

## 1.2 Prerequisites

Before you can start working with Qlik Sense, you need one of the following:

- Access to Qlik Sense Enterprise.
- Qlik Sense Desktop installed on your computer.

You can download Qlik Sense Desktop from [www.qlik.com](https://www.qlik.com). If you need help with the installation, you can find instructions at [help.qlik.com](https://help.qlik.com).

## 1.3 Building an app

Building an app involves some basic steps that you need to take to be able to design and use the app.

1. Preparing the data files.  
Make the data files available in Qlik Sense Enterprise or Qlik Sense Desktop.

2. Creating an empty app.  
Basically, what you do is to give the app a name.
3. Loading data.  
Qlik Sense is built for analyzing data, and without any data the app is not very useful.
4. Creating one or more sheets and adding visualizations.  
The sheet is where you create your visualizations. It is also where you analyze your data, when the app is ready.

These are the basic steps. In more advanced apps, scripting often includes much more than just loading data.

## 1.4 Further reading and resources

- [Qlik](#) offers a wide variety of resources when you want to learn more.
- [Qlik online help](#) is available.
- Training, including free online courses, is available on [Qlik Learning](#).
- Discussion forums, blogs, and more can be found in [Qlik Community](#).

## 2 Making preparations

In this step, you will create a new analytics app and add the data files from the *Tutorial - Building an App* folder.

### 2.1 Opening Qlik Sense

Do one of the following depending on which version of Qlik Sense you are using.

#### Opening Qlik Sense Enterprise

If you are using Qlik Sense Enterprise, you start Qlik Sense Enterprise by entering a web address in your browser, such as `https://<server name>/hub`. The exact address depends on how Qlik Sense has been deployed in your organization.

When Qlik Sense has started, you arrive at the hub, where you can create a new app from **Work**.

#### Opening Qlik Sense Desktop

When you have installed Qlik Sense Desktop, you start it from the shortcut on your desktop, the left pane in the **Start** menu, or the Qlik Sense folder, under **All Programs**.

When you start Qlik Sense Desktop, you arrive at the hub. You can close the greeting message.

The hub is the storage of your apps. If you have installed Qlik Sense Desktop recently, you may not have many apps yet, and in that case, you are about to begin building your first app!

### 2.2 Placing tutorial source files

The folder *Tutorial source* is included in the zip file and contains the data files. Before you start building the app you need to make sure you can access the data files. Do one of the following depending on which version of Qlik Sense you are using.

#### Placing tutorial source files in Qlik Sense Enterprise

If you are using Qlik Sense Enterprise, you need to place the *Tutorial source* folder on your computer. A specific file location is not required.

#### Placing tutorial source files in Qlik Sense Desktop

If you are using Qlik Sense Desktop, you need to place the *Tutorial source* folder in the *Sense* folder.

**Do the following:**

1. Open the folder *Documents*. (It is sometimes called *My Documents*.) From there, the path is *Qlik\Sense*.
2. Place the *Tutorial source* folder in the *Sense* folder.

The next step is to associate and load the data.

### 3 Creating a new app

Your first step towards a complete app is to create an empty app.

#### 3.1 Creating a new app in Qlik Sense Enterprise or Qlik Sense Desktop

Do the following:

1. In the hub click **Create new app**.  
The **Create new app** dialog opens.
2. Enter the name *Tutorial* for the app.
3. Click **Create**.  
A creation confirmation is displayed.
4. Click **Open app**.  
The app is opened. You are now prompted to start adding data.



## 4 Adding data

Your second step towards a complete app is loading the data.

You will load the following files:

- *Sales.xlsx*
- *Item master.xlsx*
- *Cities.xlsx*
- *Sales rep.csv*
- *Customers.xlsx*

Do one of the following depending on which version of Qlik Sense you are using.

### 4.1 Loading data from the first data file in Qlik Sense Enterprise

It is good practice to add the most important file first, which in this case is *Sales.xlsx*.

If you are using Qlik Sense Enterprise, you will add the data files from the *Tutorial source* folder, which you have placed on your computer if you followed the previous instructions.

**Do the following:**

1. Click **Add data from files and other sources**.  
A data source selection dialog is displayed.
2. Click **Attached files** and do one of the following to upload the file:
  - Drag and drop the file *Sales.xlsx* onto the dialog.
  - Click in the designated area at the bottom of the dialog, browse to the file *Sales.xlsx* and click **Open**.

Either way a progress window is displayed and then the data selection window opens. You can see that *Sales*, which is a sheet in the data file, is already selected. **Embedded fieldnames** is also selected. This is correct.

The screenshot shows the Qlik Sense Desktop interface with the 'Sales.xlsx' file loaded. On the left, the 'Tables' panel shows a table named 'Sales' with 15 rows. The main table displays the following columns: %KEY, Cost, Customer Num..., Date, GrossS..., Invoice D..., and Invoice Num... The data rows range from 3428 to 3470. The 'File format' is set to 'Excel (XLSX)' and 'Field names' are set to 'Embedded field names'. A green 'Add data' button is located at the bottom right of the interface.

### 3. Click **Add data**.

A progress window is displayed before the associations view of the data manager opens. In this view your data is illustrated using bubbles. The table *Sales* is added and marked with \*, which indicates a new or updated table.

Before you load data you will add more data files. Continue with [Adding the Sales rep file \(page 12\)](#).

## Loading data from the first data file in Qlik Sense Desktop

It is good practice to add the most important file first, which in this case is *Sales.xlsx*.

If you are using Qlik Sense Desktop, you must have a data connection to the *Tutorial source* folder, which contains the data files. The data connection to the *Tutorial source* folder will be created when you load the first data file *Sales.xlsx* from the *Tutorial source* folder.

Do the following:

1. Click **Add data from files and other sources**.  
A data source selection dialog is displayed. You now need to navigate to the *Tutorial source* folder, which contains with all the data files that you will load.
2. Click **My computer**.
3. If you followed the previous recommendation on where to place the *Tutorial source* folder, browse to the *Tutorial source* folder under **Documents > Qlik > Sense**. If you stored the *Tutorial source* folder somewhere else, you need to navigate to the folder location and open the folder.

*File selection dialog where no data source is selected and all file types in the folder are shown*

**Do the following:**

1. In the file selection dialog, select the file *Sales.xlsx*.  
A progress window is displayed and then the data selection window opens. You can see that *Sales*, which is a sheet in the data file, is already selected. **Embedded field names** is also selected. That is correct.

The screenshot shows the Qlik Sense data selection interface. On the left, a 'Tables' list shows 'Sales' selected. The main area displays the 'Sales.xlsx' file with the following settings: File format: Excel (XLSX), Field names: Embedded field names, and Header size: 1. The data table below shows columns: %KEY, Cost, Customer Num..., Date, GrossS..., Invoice D..., and Invoice Num... with data rows starting from 3428.

| %KEY | Cost    | Customer Num... | Date      | GrossS... | Invoice D... | Invoice Num... |
|------|---------|-----------------|-----------|-----------|--------------|----------------|
| 3428 | -513.15 | 10012226        | 1/12/2012 | -573.3835 | 1/12/2012    | 318960         |
| 3429 | -105.93 | 10012226        | 1/12/2012 | -204.6638 | 1/12/2012    | 318960         |
| 3430 | -88.07  | 10012226        | 1/12/2012 | -165.8016 | 1/12/2012    | 318960         |
| 3431 | -43.12  | 10012226        | 1/12/2012 | -118.3703 | 1/12/2012    | 318960         |
| 3432 | -37.98  | 10012226        | 1/12/2012 | -102.3319 | 1/12/2012    | 318960         |
| 3433 | -49.37  | 10012226        | 1/12/2012 | -85.5766  | 1/12/2012    | 318960         |
| 3434 | -45.81  | 10012226        | 1/12/2012 | -68.4399  | 1/12/2012    | 318960         |
| 3435 | -12.56  | 10012226        | 1/12/2012 | -67.3822  | 1/12/2012    | 318960         |
| 3436 | -13.42  | 10012226        | 1/12/2012 | -16.1534  | 1/12/2012    | 318960         |
| 3451 | 0.38    | 10002489        | 1/12/2012 | 1.438     | 1/12/2012    | 319167         |
| 3452 | 0.46    | 10008381        | 1/12/2012 | 1.7848    | 1/12/2012    | 319174         |
| 3453 | 1.14    | 10000486        | 1/12/2012 | 3.3824    | 1/12/2012    | 319069         |
| 3454 | 2.13    | 10000486        | 1/12/2012 | 4.5453    | 1/12/2012    | 319069         |
| 3455 | 7.76    | 10021472        | 1/12/2012 | 5.6549    | 1/12/2012    | 319142         |
| 3456 | 3.51    | 10000453        | 1/12/2012 | 5.9111    | 1/12/2012    | 319153         |
| 3457 | 4.87    | 10021472        | 1/12/2012 | 10.1223   | 1/12/2012    | 319142         |
| 3458 | 0.61    | 10021472        | 1/12/2012 | 11.4246   | 1/12/2012    | 319142         |
| 3459 | 3.43    | 10008381        | 1/12/2012 | 12.0125   | 1/12/2012    | 319174         |
| 3460 | 3.19    | 10026532        | 1/12/2012 | 12.197    | 1/12/2012    | 319119         |
| 3461 | 1.84    | 10008381        | 1/12/2012 | 19.3428   | 1/12/2012    | 319174         |
| 3462 | 8.84    | 10015793        | 1/12/2012 | 20.4994   | 1/12/2012    | 319164         |
| 3463 | 6.87    | 10000486        | 1/12/2012 | 22.9404   | 1/12/2012    | 319069         |
| 3464 | 22.77   | 10021472        | 1/12/2012 | 24.448    | 1/12/2012    | 319142         |
| 3465 | 7.72    | 10000486        | 1/12/2012 | 26.4723   | 1/12/2012    | 319069         |
| 3466 | 13.28   | 10008381        | 1/12/2012 | 27.9472   | 1/12/2012    | 319174         |
| 3467 | 15.07   | 10021472        | 1/12/2012 | 28.246    | 1/12/2012    | 319142         |
| 3468 | 13.53   | 10007457        | 1/12/2012 | 28.398    | 1/12/2012    | 319193         |
| 3469 | 11.51   | 10023524        | 1/12/2012 | 29.0892   | 1/12/2012    | 319195         |
| 3470 | 19.96   | 10013332        | 1/12/2012 | 32.2939   | 1/12/2012    | 319205         |

2. Click **Add data**.

A progress window is displayed before the associations view of the data manager opens. In this view your data is illustrated using bubbles. The table *Sales* is added and marked with \*, which indicates a new or updated table.

Before you load data you will add more data files. Continue with [Adding the Sales rep file \(page 12\)](#).

## 4.2 Adding the Sales rep file

The next data file you will add is *Sales rep.csv*, with a slightly different data selection interface.

In the **Associations** view, do the following:

1. Add the *Sales rep.csv* file by dropping it on the app:  
The data source selection dialog is displayed.

Under **Field names**, make sure that **Embedded field names** is selected to include the names of the table fields when you load the data.

The **Delimiter** field is set to **Semicolon**, and that is correct. Qlik Sense automatically recognizes the delimiter and by default displays the data with the correct delimiter.

The screenshot shows the 'Sales rep.csv' data source selection dialog. The 'File format' is set to 'Delimited'. Under 'Field names', 'Embedded field names' is selected. The 'Delimiter' is set to 'Semicolon'. The 'Quoting' is set to 'MSQ'. The 'Header size' is set to 0. The 'Character set' is set to '28599 (ISO 8859-9 Latin 5)'. The 'Ignore End-Of-File character?' checkbox is unchecked. A table of fields is displayed with checkboxes for selection. The table has 7 columns: Manager, Manager Num..., Path, Sales Rep Na..., Sales Rep Na..., Sales Rep Na..., and Sales Rep Na... (truncated). The table contains 30 rows of data. A search bar 'Filter fields' is located above the table. A green 'Add data' button is at the bottom right.

| Manager        | Manager Num... | Path                                | Sales Rep Na...  | Sales Rep Na... | Sales Rep Na...  | Sales Rep Na... |
|----------------|----------------|-------------------------------------|------------------|-----------------|------------------|-----------------|
| Amanda Honda   | 104            | Amanda Honda-Amalia Craig           | Amalia Craig     | Amanda Honda    | Amalia Craig     |                 |
| Amanda Honda   | 104            | Amanda Honda-Cart Lynch             | Cart Lynch       | Amanda Honda    | Cart Lynch       |                 |
| Amanda Honda   | 104            | Amanda Honda-Molly McKenzie         | Molly McKenzie   | Amanda Honda    | Molly McKenzie   |                 |
| Amanda Honda   | 104            | Amanda Honda-Sheila Hein            | Sheila Hein      | Amanda Honda    | Sheila Hein      |                 |
| Brenda Gibson  | 109            | Brenda Gibson-Dennis Johnson        | Dennis Johnson   | Brenda Gibson   | Dennis Johnson   |                 |
| Brenda Gibson  | 109            | Brenda Gibson-Ken Roberts           | Ken Roberts      | Brenda Gibson   | Ken Roberts      |                 |
| Brenda Gibson  | 109            | Brenda Gibson-Robert Kim            | Robert Kim       | Brenda Gibson   | Robert Kim       |                 |
| Brenda Gibson  | 109            | Brenda Gibson-William Fisher        | William Fisher   | Brenda Gibson   | William Fisher   |                 |
| Carolyn Halmon | 111            | Stewart Wind-Carolyn Halmon-Cary    | Cary Frank       | Stewart Wind    | Carolyn Halmon   | Cary Frank      |
| Carolyn Halmon | 111            | Stewart Wind-Carolyn Halmon-Edw     | Edward Smith     | Stewart Wind    | Carolyn Halmon   | Edward Smith    |
| Carolyn Halmon | 111            | Stewart Wind-Carolyn Halmon-Lee C   | Lee Chin         | Stewart Wind    | Carolyn Halmon   | Lee Chin        |
| Carolyn Halmon | 111            | Stewart Wind-Carolyn Halmon-Ron     | Ronald Milam     | Stewart Wind    | Carolyn Halmon   | Ronald Milam    |
| David Laychak  | 118            | John Greg-David Laychak-Amelia Fie  | Amelia Fields    | John Greg       | David Laychak    | Amelia Fields   |
| David Laychak  | 118            | John Greg-David Laychak-Deborah H   | Deborah Halmon   | John Greg       | David Laychak    | Deborah Halmon  |
| David Laychak  | 118            | John Greg-David Laychak-Judy Row    | Judy Rowlett     | John Greg       | David Laychak    | Judy Rowlett    |
| Dennis Johnson | 121            | Brenda Gibson-Dennis Johnson-Ang    | Angelen Carter   | Brenda Gibson   | Dennis Johnson   | Angelen Carter  |
| Dennis Johnson | 121            | Brenda Gibson-Dennis Johnson-Der    | Dennis Fisher    | Brenda Gibson   | Dennis Johnson   | Dennis Fisher   |
| Dennis Johnson | 121            | Brenda Gibson-Dennis Johnson-Jud    | Judy Thurman     | Brenda Gibson   | Dennis Johnson   | Judy Thurman    |
| John Davis     | 132            | Stewart Wind-John Davis-Bima Male   | Bima Malek       | Stewart Wind    | John Davis       | Bima Malek      |
| John Davis     | 132            | Stewart Wind-John Davis-Karen Clir  | Karen Clinton    | Stewart Wind    | John Davis       | Karen Clinton   |
| John Davis     | 132            | Stewart Wind-John Davis-TAGnolog    | TAGnology        | Stewart Wind    | John Davis       | TAGnology       |
| John Greg      | 134            | John Greg-David Laychak             | David Laychak    | John Greg       | David Laychak    |                 |
| John Greg      | 134            | John Greg-Kathy Clinton             | Kathy Clinton    | John Greg       | Kathy Clinton    |                 |
| John Greg      | 134            | John Greg-Sandra Barone             | Sandra Barone    | John Greg       | Sandra Barone    |                 |
| John Greg      | 134            | John Greg-Viginia Mountain          | Viginia Mountain | John Greg       | Viginia Mountain |                 |
| Kathy Clinton  | 144            | John Greg-Kathy Clinton-Cheryle Sir | Cheryle Sincok   | John Greg       | Kathy Clinton    | Cheryle Sir     |
| Kathy Clinton  | 144            | John Greg-Kathy Clinton-Janice Sco  | Janice Scott     | John Greg       | Kathy Clinton    | Janice Scott    |

2. Click **Add data**.

A progress window is displayed before the data manager opens. The table *Sales rep* is added and marked with **Pending add**. The next step is to associate your data.

### 4.3 Associating data

Now it is time to create an association between the fields in your tables *Sales* and *Sales rep*.

Do the following:

1. Click **Associations** in the data manager overview.  
In the **Associations** view of the data manager your data is illustrated using bubbles, with each bubble representing a data table, and the size of the bubble representing the amount of data in the table. Bubbles marked with \* indicates a new or updated table.
2. Drag the *Sales rep* bubble towards the *Sales* bubble.  
Qlik Sense now detects a highly recommended association to the *Sales* table and its bubble is marked with green.
3. Drop the *Sales rep* bubble onto the *Sales* bubble.  
A link is now created between the bubbles and the tables are associated using the recommended fields.
4. Click the link between the *Sales rep* bubble and the *Sales* bubble.  
The association panel, at the bottom of the screen, displays a preview of data in the associated fields.
5. Click the association *Sales rep ID-Sales Rep Number* in the association panel and rename it *Sales Rep Number*.  
The association is now named *Sales Rep Number*.

Now you have associated the first two tables. The next step is to add more data files.

### 4.4 Adding and associating more data

You will add the final three data files before you load data and start building the app.

In the **Associations** view, do the following:

1. Add the following data files by dropping them on the app:
  - *Cities.xlsx*
  - *Customers.xlsx*
  - *Item master.xlsx*



Under **Field names**, make sure that **Embedded field names** is selected to include the names of the table fields when you load the data.

You should now see five data files.

You have already associated the tables *Sales* and *Sales rep*. Qlik Sense helps you identify recommended associations and you will now explore this.

2. Click and hold the bubble *Customer*.  
The bubbles *Sales* and *Cities* are marked green because Qlik Sense highly suggests associating these two tables to *Customers*.
3. Click and hold the bubble *Cities*.  
The bubble *Customer* is marked green. The bubble *Sales* is marked orange, which indicates a medium recommendation.
4. Click and hold the bubble *Item master*.  
The bubble *Sales* is marked green.

Recommended associations are identified between all tables and you will now let Qlik Sense create the associations for you.

### Do the following:

- Click .

If you're using Qlik Sense Desktop, click **Save**.

The tables are now associated according to Qlik Sense recommendations.



All tables are now associated and you will now load the data.

## 4.5 Loading data

Do the following:

1. Click **Load data**.  
A progress window is displayed while the data is loading. When the data load is complete, you can continue.
2. Click **Close**.

You will now adjust the regional settings.

## 4.6 Regional settings


You need to change the regional settings, to prepare the time and date formats for this tutorial.

Number interpretation variables are system defined, that is, they are automatically generated according to the current regional settings of the operating system when a new app is created.

In Qlik Sense Desktop, the regional settings is according to the settings of the computer operating system. In Qlik Sense Enterprise, it is according to the operating system of the server where Qlik Sense is installed. In Qlik Cloud, it depends on which browser you are using.

To be able to use the tutorial files provided for this tutorial, you need to define the time and date formats in the app.

Do the following:

1. Click  and select **Data load editor**.
2. In the left panel, click **Main** to go to the existing regional settings.
3. Delete the existing regional settings (they all begin with **SET**) and copy and paste the following regional settings at the top in the data load editor.

```
SET ThousandSep=',';  
SET DecimalSep='.';  
SET MoneyThousandSep=',';  
SET MoneyDecimalSep='.';  
SET MoneyFormat='$#,##0.00;($#,##0.00)';  
SET TimeFormat='h:mm:ss TT';  
SET DateFormat='M/D/YYYY';  
SET TimestampFormat='M/D/YYYY h:mm:ss[.fff] TT';  
SET FirstWeekDay=6;  
SET BrokenWeeks=1;  
SET ReferenceDay=0;
```

```

SET FirstMonthOfYear=1;
SET CollationLocale='en-US';
SET CreateSearchIndexOnReload=1;
SET MonthNames='Jan;Feb;Mar;Apr;May;Jun;Jul;Aug;Sep;Oct;Nov;Dec';
SET
LongMonthNames='January;February;March;April;May;June;July;August;September;October;Nov
ember;December';
SET DayNames='Mon;Tue;Wed;Thu;Fri;Sat;Sun';
SET LongDayNames='Monday;Tuesday;Wednesday;Thursday;Friday;Saturday;Sunday';

```

You should now have 18 **SET** statements at the beginning of the script.

```

1 SET ThousandSep=',';
2 SET DecimalSep='.';
3 SET MoneyThousandSep=',';
4 SET MoneyDecimalSep='.';
5 SET MoneyFormat='$#,##0.00;-$$,##0.00';
6 SET TimeFormat='h:mm:ss TT';
7 SET DateFormat='M/D/YYYY';
8 SET TimestampFormat='M/D/YYYY h:mm:ss[.fff] TT';
9 SET FirstWeekDay=6;
10 SET BrokenWeeks=1;
11 SET ReferenceDay=0;
12 SET FirstMonthOfYear=1;
13 SET CollationLocale='en-US';
14 SET CreateSearchIndexOnReload=1;
15 SET MonthNames='Jan;Feb;Mar;Apr;May;Jun;Jul;Aug;Sep;Oct;Nov;Dec';
16 SET LongMonthNames='January;February;March;April;May;June;July;August;September;October;November;December';
17 SET DayNames='Mon;Tue;Wed;Thu;Fri;Sat;Sun';
18 SET LongDayNames='Monday;Tuesday;Wednesday;Thursday;Friday;Saturday;Sunday';
19

```

## 4.7 Loading data

Now you have added all data files, associated their tables and changed the regional settings. Before you start building your app you must load the script.



**Do the following:**

1. Click **Load data**.  
A progress window is displayed while the data is loading. When the data load is complete, you can continue.
2. Click **Close**.

## Viewing the data model

Now you are ready to start building your app, but before you start, let's have a look at the data model.

**Do the following:**

1. In the toolbar, click  and select **Data model viewer**.
2. In the toolbar in the data model viewer, click  to expand the tables.
3. In the toolbar, click **Save** to save your work.

All tables are now connected and the data model viewer should have the following content. A field connecting one or more tables is called a key.



*The data model viewer with tables connected using key fields*



You have now finished adding data and can start building your app.

## 5 App design

You have loaded the data. Now it is time to create sheets and visualizations. Dashboard design involves using the right objects in the right way, and making the sheets well structured and user-friendly.

This app will be fairly simple, but you will learn some basic design principles that are good to know.

If you want to build an app of your own, and want some inspiration, you should visit the [Qlik website](#). You can find a large number of apps serving a wide variety of purposes there. This is useful if you are looking for a template when you want to design your own app.

If you are looking for assistance in creating analyses, you can use Insight Advisor. Insight Advisor helps you create meaningful charts and analyses from your data. You can create visualizations by selecting the analysis type you want to use and then select data to include in the analysis. You can also create visualizations from your queries using search-based analytics.

### 5.1 Creating the sheets

The app that you are building will contain six sheets:

1. *Dashboard*
2. *Product Details*
3. *Customer Details*
4. *Customer Location*
5. *Insights*
6. *Manager dashboard*

You will build the first four sheets manually. The last two sheets you will build using Insight Advisor.

**Do the following:**

1. In the top left, click **☰**, and click **App overview**.
2. Click **Create new sheet**, and then name the sheet *Dashboard*.
3. Create four more sheets and name them *Product Details*, *Customer Details*, *Customer Location*, and *Insights*.

You now have five sheets that all belong to the same app. There is no need to create a *Manager dashboard* sheet, because it will be auto-generated by Insight Advisor later in this tutorial.

The following screen shots show how your app will appear when you complete this tutorial.

## Dashboard sheet with different visualizations

## Dashboard

Year

Quarter


Month

Week

Sales per Region



Top 5 Customers



Sales Trend



Total Sales and Margin

Sales  
**104.9M** +43.25M  
Margin

Profit Margin



Quarterly Trend



## Product Details sheet with different visualizations

## Product Details

Year

Quarter

Month

Week

Total Sales: \$104.9M



## Region

Germany

Japan

Nordic

Spain

UK

USA

Product Treemap \*



## Customer Details sheet with different visualizations

## Customer Details

Year

Quarter

Month

Week

Customer Sales and Quantity



Customer KPIs

Manager

|                  |
|------------------|
| Amanda Honda     |
| Brenda Gibson    |
| Carolyn Halmon   |
| David Laychak    |
| Dennis Johnson   |
| John Davis       |
| John Greg        |
| Kathy Clinton    |
| Ken Roberts      |
| Micheal Williams |
| Molly McKenzie   |
| Odessa Morris    |
| Samantha Allen   |
| Sheila Hein      |


| Customer                    | Product Group | Product Type | Measures     |          |            |               |                           |
|-----------------------------|---------------|--------------|--------------|----------|------------|---------------|---------------------------|
|                             |               |              | Sales        | Quantity | Margin (%) | # of Invoices | Average Sales per Invoice |
| A-2-Z Solutions             |               |              | \$196,298.49 | 1,418    | 3841.7%    | 58            | \$3,384.46                |
| A-ARVIN Laser Resources     |               |              | \$4,053.05   | 25       | 3792.6%    | 13            | \$311.77                  |
| A Superior System           |               |              | \$103,728.12 | 868      | 4074.5%    | 167           | \$621.13                  |
| A&B                         |               |              | \$92,120.60  | 891      | 4202.9%    | 18            | \$5,117.81                |
| A&G                         |               |              | \$12,502.61  | 133      | 4708.0%    | 12            | \$1,041.88                |
| A&R Partners                |               |              | \$30,392.45  | 156      | 3409.9%    | 6             | \$5,065.41                |
| A1 Datacom Supply           |               |              | \$259,599.52 | 5,830    | 4025.7%    | 111           | \$2,338.73                |
| a2i                         |               |              | \$451.64     | 14       | 5983.7%    | 9             | \$50.18                   |
| A2Z Solutions               |               |              | \$69,977.36  | 454      | 4121.1%    | 94            | \$744.44                  |
| AA-Wizard                   |               |              | \$94,209.44  | 917      | 4660.6%    | 41            | \$2,297.79                |
| Aadast                      |               |              | \$351,243.31 | 881      | 3707.3%    | 35            | \$10,035.52               |
| Aaron D. Meyer & Associates |               |              | \$90,017.11  | 1,869    | 4404.1%    | 58            | \$1,552.02                |
| Aaron Products              |               |              | \$4,901.96   | 25       | 3568.9%    | 11            | \$445.63                  |
| Abacus Niagara              |               |              | \$48,161.07  | 263      | 4500.9%    | 63            | \$764.46                  |
| Abbotsbury                  |               |              | \$4,556.70   | 22       | 4711.3%    | 8             | \$569.59                  |
| Abbott                      |               |              | \$15,036.77  | 48       | 3837.8%    | 26            | \$578.34                  |
| Aberdeen                    |               |              | \$319,388.90 | 1,431    | 4221.6%    | 51            | \$6,262.53                |
| ABT TruTrac                 |               |              | \$14,082.35  | 98       | 4538.3%    | 50            | \$281.65                  |

## Customer Location sheet with different visualizations

## Customer Location

| Region  | Customer                    |
|---------|-----------------------------|
| Germany | A-2-Z Solutions             |
| Japan   | A-ARVIN Laser Resources     |
| Nordic  | A Superior System           |
| Spain   | A&B                         |
| UK      | A&G                         |
| USA     | A&R Partners                |
|         | A1 Dacom Supply             |
|         | a2i                         |
|         | A2Z Solutions               |
|         | AA-Wizard                   |
|         | Aadast                      |
|         | Aaron D. Meyer & Associates |
|         | Aaron Products              |
|         | Abacus Niagara              |
|         | Abbotsbury                  |
|         | Abbott                      |
|         | Aberdeen                    |
|         | ABI TruTrac                 |
|         | AboveNet                    |
|         | Abplus                      |
|         | ABSolute                    |
|         | Absolute Magic              |
|         | Abstract                    |
|         | AC Exchange                 |
|         | AC&E                        |
|         | Acacia                      |


## Location



## Insights sheet with different visualizations.

## Insights

## Sales by Manager




## Bottom 3 product groups for sales

| Breakfast Foods |
|-----------------|
| Sales 2020-Jun  |
| \$ 3926.96      |
| Sales 2020-May  |
| \$ 12203.11     |

| Meat           |
|----------------|
| Sales 2020-Jun |
| \$ 995.57      |
| Sales 2020-May |
| \$ 650.70      |

| Seafood        |
|----------------|
| Sales 2020-Jun |
| \$ 1310.77     |
| Sales 2020-May |
| \$ 1337.94     |

## Customer clustered by avg(Sales) and avg(Cost) (K-Means)



### Manager dashboard sheet with different visualizations.

#### Manager dashboard

Actual sum(Sales) as percent of target



Manager count by sum(Sales) target



sum(Sales) change by Manager in 2020-May and 2020-Jun

| Manager          | Q | sum(Sales)-Period 1 | sum(Sales)-Period 2 | sum(Sales)-Target   | % of target   | Status   | Target        |
|------------------|---|---------------------|---------------------|---------------------|---------------|----------|---------------|
| <b>Totals</b>    |   | <b>3541237.39</b>   | <b>3785965.73</b>   | <b>3718299.2595</b> | <b>99.67%</b> | <b>▲</b> | <b>Almost</b> |
| Amanda Honda     |   | 136318.48           | 449030.09           | 143134.404          | 313.71%       | ▲        | Met           |
| Brenda Gibson    |   | 168914.19           | 228636.98           | 177359.8995         | 128.91%       | ▲        | Met           |
| Carolyn Halmon   |   | 665470.71           | 124465.39           | 698744.2455         | 17.81%        | ▼        | Missed        |
| David Laychak    |   | 129883.48           | 224793.99           | 136377.654          | 164.83%       | ▲        | Met           |
| Dennis Johnson   |   | 506356.3            | 404268.66           | 531674.115          | 76.04%        | ▼        | Missed        |
| John Davis       |   | 63286.48            | 189406.68           | 66450.804           | 285.03%       | ▲        | Met           |
| John Greg        |   | 224861.3            | 129041.59           | 236104.365          | 54.65%        | ▼        | Missed        |
| Kathy Clinton    |   | 251227.27           | 105717.47           | 263788.6335         | 40.08%        | ▼        | Missed        |
| Ken Roberts      |   | 39347.35            | 44013.84            | 41314.7175          | 106.53%       | ▲        | Met           |
| Micheal Williams |   | 65985.93            | 220536.92           | 69285.2265          | 318.30%       | ▲        | Met           |
| Molly McKenzie   |   | 210702.91           | 89303.31            | 221238.0555         | 40.37%        | ▼        | Missed        |
| Odessa Morris    |   | 175982.93           | 100088.11           | 184782.0765         | 54.17%        | ▼        | Missed        |

sum(Sales) change by Manager in 2020-May and 2020-Jun



As you can see, there are similarities between the sheets. The first four all contain filter panes that are placed to the left. It is good to have consistency when you design an app. *Insights* and *Manager dashboard* break from this design as their role in this tutorial is to show different chart creation capabilities and advance analytics available through Insight Advisor


Visualizations that are present in several sheets should have the same position in all sheets so that the user knows where to find them. There should be a logic in the design that supports the user in achieving their goal of data discovery. Placement is one aspect of the design, another is the choice of visualization.

Each visualization has its own advantages, and to be able to build an efficient and well-functioning app, you need to be aware of those advantages. To some extent the visualizations are self-explanatory.

Graphical elements are great for giving overviews and showing trends, whereas tables are economical in that they can present large amounts of data using a limited space. You get exact figures, but lose the quick and easily digestible information that is conveyed in graphical elements.

Next, you will add visualizations to your first sheet.

## 6 The first sheet: Dashboard

Right-click *Dashboard*, and then select **Open and edit** to open the first sheet. The sheet is empty, but it will not be for long. The assets panel to the left contains available charts and fields. Click  (**Charts**), so that you can start adding charts to the sheet. The properties panel is on the right.


### 6.1 Creating visualizations

The purpose of a dashboard is to give a quick overview of the current state of affairs. The focus is on sales trends and figures. The dashboard is not primarily designed for data exploration, but it is of course possible to make selections and analyze the results.

The screenshot for the sheet *Dashboard* shows the sheet when editing. You drag the charts to the center of the area where you want to place them.

To the left there are two filter panes, the time filter pane without a title and *Region*. You will begin with these.


*Dashboard sheet when editing*



### 6.2 Adding the filter panes

The purpose of the filter panes is to filter out a limited data set, which you can analyze and explore.


### Do the following:

1. Drag a filter pane to the sheet.
2. In the assets panel to the left, click  to open **Fields**.
3. Click *Date* in the list to expand it.
4. Drag the field *Year* from to the center of the filter pane, then click ► in the properties panel on the right-hand side to expand the dimension and change its **Title** to *Year*.
5. Drag the field *Quarter* to the filter pane, then click ► in the properties panel on the right-hand side to expand the dimension and change its **Title** to *Quarter*.
6. Drag the field *Month* to the filter pane, then click ► in the properties panel on the right-hand side to expand the dimension and change its **Title** to *Month*.
7. Drag the field *Week* to the filter pane, then click ► in the properties panel on the right-hand side to expand the dimension and change its **Title** to *Week*.
8. Use the handles to resize the filter pane according to the screenshot.  
[Dashboard sheet when editing \(page 23\)](#)
9. Right-click the filter pane and select **Add to master items**.
10. Type the name *Period* and click **Add**.

You have created a filter pane and saved it as a master item which facilitates reuse.

The second filter pane only contains one dimension, *Region*.

### Do the following:



1. In the assets panel to the left, click  to open **Charts** and drag a filter pane to the sheet.
2. Click **Add dimension** and scroll down and select the field *Region*.
3. Use the handles to resize the filter pane according to the screenshot.  
[Dashboard sheet when editing \(page 23\)](#)
4. Right-click the filter pane and select **Add to master items**.
5. Type the name *Region* and click **Add**.

The two filter panes are complete.

## 6.3 Adding the pie chart

Next we will add a pie chart.

### Do the following:

1. In the assets panel to the left, click  to open **Charts** and drag a pie chart to the sheet.
2. Click **Add dimension** and add the field *Region*.
3. In the assets panel to the left, click  to open **Fields**.



4. Locate the field *Sales*, right-click it and select **Create measure**.
5. In the **Create new measure** dialog, in the **Expression** box, add *Sum* in front of (*Sales*) to create the measure *Sum(Sales)*.
6. Click **Create**.  
The measure is added as a master item.
7. Drag the new measure *Sales* to the center of the pie chart.
8. In the properties panel to the right, click **Appearance > Presentation** and select **Donut**.
9. Still in the properties panel, click **Colors and legend**.
10. Set **Colors** to **Custom** and select **By measure** in the list.
11. At the top of the visualization, add the title *Sales per Region*.
12. Use the handles to resize the pie chart according to the screenshot.  
[Dashboard sheet when editing \(page 23\)](#)


The donut pie chart is complete. The colors in the pie chart are by measure, which means the higher the value, the darker the color.

You have many options when it comes to coloring the values. Just remember that the colors should serve a purpose and not be used just to make the visualization more colorful.

### 6.4 Adding the bar chart

The next visualization is a bar chart with the top five customers.

Do the following:

1. In the assets panel to the left, click  to open **Charts**.
2. Drag a bar chart to the sheet. Place it under the pie chart.
3. Click **Add dimension** and scroll down and select the field *Customer*.
4. Click **Add measure** and under **Measures**, select *Sales*.
5. In the properties panel to the right, under **Appearance > Presentation**, select **Horizontal**.  
The bars are displayed horizontally.
6. In the properties panel under **Data**, click *Customer* to open the dimension.
7. In the list **Limitation**, select **Fixed number**.
8. The default setting is to display the top 10. Change the number to 5.
9. Clear the selection **Show others**.
10. In the properties panel, click **Appearance > Presentation** and set **Value labels** to **Auto**.
11. In the properties panel, click **Appearance > Y-axis: Customer**.
12. Under **Labels and title**, select **Labels only**.
13. Click **X-axis: Sales**.
14. Under **Labels and title**, select **Labels only**.
15. At the top of the visualization, add the title *Top 5 Customers*.
16. Resize the bar chart according to the screenshot.  
[Dashboard sheet when editing \(page 23\)](#)




The bar chart is complete. You have created a bar chart showing the top five customers. When you make selections in other visualizations, these customers will change, accordingly.

If you had not cleared the selection **Show others**, the fifth bar would have been gray, summarizing all the sales values where the company name is missing. This value can be useful to get an understanding of how much of the sales that cannot be referred to a specific company.

### 6.5 Adding the combo chart

The combo chart combines a bar chart and a line chart and is especially useful when you want to combine values that are normally hard to combine because of their different scales.

Do the following:

1. In the assets panel to the left, click  to open **Charts**.
2. Drag a combo chart to the sheet. Place it under the bar chart.
3. In the assets panel to the left, click  to open **Fields**.
4. Click *Date*.
5. Drag the field *YearMonth* to the combo chart and click **Add** at the top.
6. Click **Add measure** and under **Measures**, select *Sales*.
7. In the assets panel to the left, click  to open **Master items**.
8. Under **Measures**, click **Create new**.
9. Copy and paste the following string into the **Expression** box:  
 $(Sum(Sales) - Sum(Cost)) / Sum(Sales)$
10. Type the name *Margin Percent* and click **Create**.  
The new measure is added to the list of master item measures.
11. Drag the measure *Margin Percent* to the combo chart.
12. Select **Add Margin Percent > As line**.
13. At the top of the visualization, add the title *Sales Trend*.
14. Resize the combo chart according to the screenshot.  
[Dashboard sheet when editing \(page 23\)](#)



The combo chart is complete. The two measures *Sales* and *Margin Percent* have one axis each, which enables the combination of two totally different scales.

The primary axis to the left is used for *Sales* and the secondary axis to the right is used for *Margin Percent*.

### 6.6 Adding the KPI

The KPI visualization can show one or two measure values, and is used to track performance. Color coding and symbols indicate how the figures relate to the expected results.

Do the following:

1. In the assets panel to the left, click  to open **Charts**.
2. Drag a KPI chart to the sheet. Place it to the right of the pie chart.
3. Click **Add measure** and under **Measures**, select *Sales*.  
The sum of sales is added to the KPI.
4. In the properties panel to the right under **Appearance** > **Color**, set **Conditional colors** to **On** and click **Add limit**.
5. Click the left part of the **Value** bar, select **Color** red and **Symbol** ▼ in the dialog.
6. Click the right part of the **Value** bar, select **Color** green and **Symbol** ▲ in the dialog.
7. Drag the value limit to the right, to display the sales value as red in the KPI.
8. In the assets panel to the left, click  to open **Master items**.
9. Click **Measures**.
10. Click **Create new** and type *Sum(Margin)* in the **Expression** box.
11. Type the name *Margin* and click **Create**.  
*Margin* is added to the master item measures.
12. In the properties panel, under **Data** > **Measures**, click **Add** and select *Margin*.  
The sum of margin is added to the KPI.
13. In the properties panel to the right, under **Appearance** > **Color**, click **Second**.
14. Set the limit for *Margin* as you did for *Sales*, but this time drag the value limit to the left, to display the sales value as green in the KPI.
15. In the properties panel, under **Appearance** > **Presentation** select **Left** in the **Alignment** drop-down.
16. In the properties panel, under **Appearance** > **Presentation** set **Show title** to **On**.
17. Type the following into the **Title** text box:  
*Total Sales and Margin*
18. Resize the KPI object according to the screenshot.  
[\*Dashboard sheet when editing \(page 23\)\*](#)

If you are using Qlik Sense Desktop, click **Save**.


The KPI is complete and displays that total sales is below expectations, but still there is a sufficient margin.

The different colors and symbols support the interpretation of the value. Red is worrying, whereas green is good.

### 6.7 Adding the gauge

The gauge is used to visualize a single measure. Just like with the text & image chart, you do not make any selections in the gauge.

Do the following:

1. In the assets panel to the left, click  to open **Charts**.
2. Drag a gauge chart to the sheet and place it to the right of the KPI visualization.
3. Click **Add measure**.
4. Select the measure *Margin Percent*.
5. In the properties panel to the right, under **Data > Measures > Margin Percent > Number formatting**, select **Number**, and in the **Formatting** list that is displayed, select **12%**.
6. Under **Appearance > Presentation**, select **Bar** to present the gauge as a bar.
7. Set **Orientation** to **Custom** and select **Horizontal**.
8. In the **Range limits** just above, set **Min** to *-0.5* and **Max** to *0.5*.
9. Still under **Presentation**, select **Use segments**.
10. Click **Add limit**.
11. In the text box that is displayed, enter *0.12*, which sets the limit between the left and right segment to 12%.
12. Press Enter.
13. Click the left segment and select the red color.
14. Click the right segment and select the green color.
15. At the very bottom of the properties panel, open **Measure axis**.
16. In **Labels and title**, select **Labels only**.
17. At the top of the visualization, add the title *Profit Margin*.
18. Resize the gauge according to the screenshot.  
[\*Dashboard sheet when editing \(page 23\)\*](#)



The gauge is complete and displays a large profit margin.


The different gauge colors support the interpretation of the value. Red is worrying, whereas green is good.

### 6.8 Adding the line chart

The line chart will be used to show the quarterly sales trend for the years 2012-2014. The figures for 2014 are for the first half of the year.

Do the following:


1. In the assets panel to the left, click  to open **Charts**.
2. Drag a line chart to the sheet.
3. In the assets panel to the left, click  to open **Fields**.
4. Click *Date*.
5. Drag the field *Quarter* to the line chart and click **Add** at the top.
6. Click ► in the properties panel on the right-hand side to expand the dimension *Date.Quarter* and change its **Label** to *Quarter*.

7. Click **Add measure** and select *Sales* from the list **Measures**.
  8. In the assets panel to the left, click  to open **Fields**.
  9. Click *Date*.
  10. Drag the field *Year* to the line chart and click **Add** at the top.
  11. Click ► in the properties panel on the right-hand side to expand the dimension *Date.Year* and change its **Label** to *Year*.
  12. In the properties panel, click **Appearance > Presentation** and select the checkbox **Show data points**.
  13. At the top of the visualization, add the title *Quarterly Trend*.
- You have completed the first sheet. In the top right corner, click ► to move to the sheet *Product Details*.

## 7 The second sheet: Product Details

This sheet focuses on the products.

*Product Details sheet when editing sheet when editing*



### 7.1 Adding the filter panes

You will now reuse the *Period* filter pane and the *Region* filter pane that you saved as master items.



Do the following:

1. In the assets panel, click to open **Master items**.
2. Click **Visualizations**.
3. Drag the filter pane *Period* to the sheet and resize it according to the screenshot.  
[The second sheet: Product Details \(page 30\)](#).
4. Drag the filter pane *Region* to the area below *Period* and resize it in the same manner.

### 7.2 Adding the bar chart

The next visualization is a bar chart with the top sales.

Do the following:


1. In the assets panel to the left, click  to open **Charts**.
2. Drag a bar chart to the sheet and place it to the right of the *Period* filter pane.
3. Click **Add dimension** and select the field *Product Group*.
4. Click **Add measure** and select *Sales* from the list **Measures**.
5. In the assets panel to the left, click  to open **Master items**.
6. Click **Measures**.
7. Drag the measure *Margin* to the bar chart and select **Add** at the top.
8. In the properties panel, click **Appearance > Presentation** and under **Value labels** select **Auto**.
9. Resize the bar chart according to the screenshot.  
[The second sheet: Product Details \(page 30\)](#).
10. Copy the following string, and paste it as a title for the bar chart:  
`= 'Total Sales: $' & Round(Sum(Sales)/1000000, 0.1) & 'M'`


The bar chart is complete. By default, the measures are grouped when you add a second measure to a bar chart.

### 7.3 Adding the treemap chart

Treemaps are used to show hierarchical data. In this treemap you will create a product hierarchy.

Do the following:

1. In the assets panel to the left, click  to open **Charts**.
2. Drag a treemap to the empty space on the sheet.
3. Click **Add dimension** and select the field *Product Group*.
4. Click **Add measure** and select *Sales* from the list **Measures**.
5. In the properties panel to the right, under **Data > Dimensions**, click **Add**.
6. In the list, select *Product Type*.
7. Click **Add** again under **Data > Dimensions** and select *Item Desc*.
8. Under **Appearance > Colors and legend**, set **Colors** from **Auto** to **Custom**.
9. Select **By measure** in the list.
10. Resize the treemap according to the screenshot.  
[The second sheet: Product Details \(page 30\)](#).
11. Add the title *Product Treemap* to the visualization.


The treemap and sheet are complete. The next sheet is the final one. In the top right corner, click  to move to the sheet *Customer Details*.

## 8 The third sheet: Customer Details

This sheet focuses on customers.

By now you have so much experience from creating dimensions, measures, and visualizations that you do not need detailed procedures anymore. The only exception will be when you make changes in the properties panel. If you need reminders of what you have learned so far, you can refer back to the previous topics.

*Customer Details sheet when editing*



### 8.1 Adding filter panes

Do the following:

1. Add the filter pane *Period*.
2. Add a new filter pane with the dimension *Manager*.

### 8.2 Adding the scatter plot

The scatter plot uses the dimension *Customer* and the measures *Sales* and *Quantity*. You need to create the measure *Quantity*, and then save it as a master item. Use the field *Sales Qty* and the aggregation *Sum*. Because the field *Sales Qty* consists of two words, you need to enclose it with brackets: *[Sales Qty]* in the expression. The expression should look like this: *Sum ([Sales Qty])*

In the properties panel, at the bottom of **Appearance**, use the **Range** setting for the Y-axis and X-axis to exclude the negative part of the axes.



You probably noticed that two measures were added to the scatter plot. The scatter plot is used to visualize the relationship between two or three measures. In this case the measures compared are *Sales* and *Quantity*. Each bubble represents a *Customer* dimension value. The visualization should be named *Customer Sales and Quantity*.

### 8.3 Adding the Customer KPIs table

The table named *Customer KPIs* uses the dimension *Customer*.

You add more columns to the table from **Data** in the properties panel: use the measures *Sales*, *Quantity*, and *Margin Percent* that are available as master items. Add them in that order to get the same order as in the screen shot.

The remaining measures, for the last two columns, need to be created:

- For the measure *# of Invoices*, use the following expression:  
*Count (Distinct [Invoice Number])*
- For the measure *Average Sales per Invoice*, use the following expression:  
*Sum(Sales)/Count(Distinct [Invoice Number])*



The qualifier **Distinct** is used in two of the expressions. By using **Distinct**, you ensure that an invoice number is only counted once, even if it occurs several times in the data source. **Distinct** sorts out unique numbers. Note that **Distinct** must be followed by a space before the field name.

### Adjusting the number formatting

To configure **Number formatting** for each measure in the chart, you first need to disable **Master measure formatting**.

Do the following:

1. In the properties panel, click **Data**.
2. Click *Sales* and set **Number formatting** to **Money**. Close the measure.
3. Click *Quantity* and set **Number formatting** to **Number (1,000)**. Close the measure.
4. Click *Margin Percent* and set **Number formatting** to **Number (12.3%)**. Close the measure.
5. Click *Average Sales per Invoice* and set **Number formatting** to **Money**. Close the measure.

### 8.4 Converting the Customer KPIs table to a pivot table


Changing the Customer KPIs table into a pivot table enables you to include further dimensions or measures and reorganize them to analyze the data in a more flexible and useful way.

The pivot table presents dimensions and measures as rows and columns in a table. In a pivot table you can analyze data by multiple measures and in multiple dimensions at the same time. You can rearrange the measures and dimensions to get different views of the data. The activity of moving measures and dimensions interchangeably between rows and columns is known as 'pivoting'.

## 8 The third sheet: Customer Details

One of the advantages of a pivot table is the interchangeability, that is, the ability to move row items to columns and column items to rows. This flexibility is very powerful and enables you to rearrange the data and have several different views of the same data set. Depending on what you want to focus on, you move the dimensions and measures to bring forward data of interest and hide data that is either too detailed, or irrelevant for the analysis.

*Customer Details sheet after conversion*



### Converting the table

Do the following:

1. In the assets panel, click to open **Charts**.
2. Drag a pivot table onto the center of the *Customer KPIs* table and select **Convert to: Pivot table**.
3. In the properties panel to the right, under **Data**, click **Add data** and then **Row**.
4. In the list, select *Product Group*.
5. Select **Add data** again and add a *Product Type* row.
6. Add the title *Customer KPIs* to the visualization.
7. Click **Done editing** in the toolbar.

You are now able to look at the sales for individual customers by product group and type. By clicking **Customer**, **Product Group** or **Product Type**, or selecting individual items in the table, you can filter the selections viewed in the table. By moving **Product Group** or **Product Type** to **Measures** and filtering you can achieve differing views of the data presented.


Further information on the use of pivot tables can be found in the Qlik Sense online help at [help.qlik.com](https://help.qlik.com).

## 9 The fourth sheet: Customer Location

This sheet focuses on customer location using a map.

You can create a map by adding point layers and area layers to display your data. You need to select a base map to provide the context for the layer data. You can add a measure value or an expression to the dimension values, and use the size of the points or color by measure to reflect the size of the measure.

*Customer Location sheet when editing*



### 9.1 Adding filter panes

Let us begin with the filter panes.

**Do the following:**

1. Click  **Edit sheet** in the toolbar.
2. Add the filter pane *Region*.
3. Add two new filter panes, one with the dimension *City*, the other with the dimension *Customer*.

### 9.2 Adding the map




In Qlik Sense you can create two types of maps, point maps and area maps. In Qlik Sense you can create maps that display data in point layers and area layers. The map we are using in this tutorial contains a point layer. A point layer is created using point coordinates (latitude and longitude) or location names to mark

---

## 9 The fourth sheet: Customer Location

places of interest, for example cities.

Do the following:

1. Drag a map chart to the sheet.
2. In the properties panel, click **Base map** and select **Pale**.
3. In the assets panel, click  and drag the field *City* onto the map.
4. Select **Add as new layer**.
5. Select **Add as point layer**.
6. In the properties panel, in **Layers**, click the *City* point layer.
7. In **Location**, after **Location field**, select the field *Longitude\_Latitude*.
8. In the assets panel, click  **Master items**.
9. Locate *Sales* in **Measures** and drag it onto the map.
10. Select **Use in "City" (Point layer)** and select **Size by: Sales**.
11. In the properties panel, in **Size & Shape** adjust the **Bubble size range** slider. Too small a minimum and the bubble representing sales for one location may not be visible when compared to a location with a large sales volume.
12. In **Colors**, set **Colors** from **Auto** to **Custom**.
13. Select **By measure** in the list and in **Select measure**, select *Sales*.
14. Add the title *Location* to the visualization.
15. Click  **Done editing** in the toolbar.

The map size adjusts according to the selections made in the filters. For example, selecting Nordic will zoom the map into the North European area showing the locations of sales in that area.

Specific areas of the map can be selected by holding down the shift key, while using the mouse to draw a lasso around the area to be viewed. The selections in the filter panes then reflect the selection made on the map.

Selecting a specific location on the map shows the customers at that location in the filter panes. Selections in other sheets also affect the data shown in the *Customer Location* sheet.

Now you have finished the Building an App tutorial. Congratulations on your achievement of building a Qlik Sense app!


Now you can complement the app with data storytelling.

# 10 The fifth and sixth sheets: Insights sheet and Manager dashboard

These sheets focus on alternative ways of creating visualizations with the assistance of Insight Advisor. You will auto-generate three visualizations and a new sheet by asking Insight Advisor questions.

Insight Advisor helps you quickly generate new charts or find existing charts in an app. If you are an analyst, you can extend analysis in an app to charts not currently present in an app. If you are an app creator, Insight Advisor helps you quickly build new charts and visualizations based on your specifications.

### Insights sheet




Insight Advisor can also create whole sheets containing multiple visualizations.

## 10 The fifth and sixth sheets: Insights sheet and Manager dashboard

### Manager dashboard sheet

Manager dashboard

Actual sum(Sales) as percent of target




Manager count by sum(Sales) target



sum(Sales) change by Manager in 2020-May and 2020-Jun

| Manager          | Q | sum(Sales)-Period 1 | sum(Sales)-Period 2 | sum(Sales)-Target | % of target | Status   | Target |
|------------------|---|---------------------|---------------------|-------------------|-------------|----------|--------|
| Totals           |   | 3541237.39          | 3785965.73          | 3718299.2595      | 99.67%      | ▲ Almost |        |
| Amanda Honda     |   | 136318.48           | 449030.09           | 143134.404        | 313.71%     | ▲ Met    |        |
| Brenda Gibson    |   | 168914.19           | 228636.98           | 177359.8995       | 128.91%     | ▲ Met    |        |
| Carolyn Halmon   |   | 665470.71           | 124465.39           | 698744.2455       | 17.81%      | ▼ Missed |        |
| David Laychak    |   | 129883.48           | 224793.99           | 136377.654        | 164.83%     | ▲ Met    |        |
| Dennis Johnson   |   | 506356.3            | 404268.66           | 531674.115        | 76.04%      | ▼ Missed |        |
| John Davis       |   | 63286.48            | 189406.68           | 66450.804         | 285.03%     | ▲ Met    |        |
| John Greg        |   | 224861.3            | 129041.59           | 236104.365        | 54.65%      | ▼ Missed |        |
| Kathy Clinton    |   | 251227.27           | 105717.47           | 263788.6335       | 40.08%      | ▼ Missed |        |
| Ken Roberts      |   | 39347.35            | 44013.84            | 41314.7175        | 106.53%     | ▲ Met    |        |
| Micheal Williams |   | 65985.93            | 220536.92           | 69285.2265        | 318.30%     | ▲ Met    |        |
| Molly McKenzie   |   | 210702.91           | 89303.31            | 221238.0555       | 40.37%      | ▼ Missed |        |
| Odessa Morris    |   | 175982.93           | 100088.11           | 184782.0765       | 54.17%      | ▼ Missed |        |

sum(Sales) change by Manager in 2020-May and 2020-Jun



### 10.1 Creating a bar chart from a search

In the sheet, there is a search field labeled **Ask Insight Advisor**. You can enter a question here and Insight Advisor Search looks at your data and generates charts that can answer your question.



Natural language searches work best when you use field and master item names.



Qlik Sense supports English natural language queries.

English is used by default for browsers not set to a supported language. The language used for queries can be changed by selecting a new language from the **Language** button. For more information, see [Enabling multi-language natural language queries in Qlik Sense Enterprise on Windows](#).

If your Qlik Sense deployment includes access to a Qlik Sense SaaS tenant, administrators can enable support for additional languages. For more information on supported languages in Insight Advisor Search, see [Supported languages](#).

Do the following:

1. In the **Ask Insight Advisor** search box, enter *Who are the top five Manager for Sales* and click ➔.
2. On the generated bar chart, click **Add to sheet** and select *Insights*.
3. Click Insight Advisor to return to the sheet.

## 10 The fifth and sixth sheets: Insights sheet and Manager dashboard

---

4. Click **Edit sheet**.
5. Select the bar chart.
6. At the top of the visualization, add the title *Top 5 Managers for Sales*.
7. Click **Done editing**.

### 10.2 Creating a Multi KPI from a search

You can alter properties from generated insights to change the chart type. In this case, we will make a bar chart that shows the bottom 3 product groups for sales for the latest month compared to the previous month.

Do the following:

1. In the **Ask Insight Advisor** search box, enter *what are the lowest 3 product groups for sales* and click →.
2. Select the bar chart.
3. In the **Analysis properties** panel, click **Bar chart (grouped)** and select **Multi KPI**.
4. Under **Analysis period**, select *YearMonth-last sorted value*.
5. Click **Add to sheet** and select *Insights*.
6. Click Insight Advisor to return to the sheet.
7. Click **Edit sheet**.
8. In the top right, toggle on **Advanced options**.
9. Select the multi KPI.
10. In the properties panel, select the measure *Sales 2014-Jun*.
11. Under **Number formatting**, select **Money**.
12. Select the measure *Sales 2014-May*.
13. Under **Number formatting**, select **Money**.
14. At the top of the visualization, add the title *Bottom 3 product groups for sales*.
15. Click **Done editing**.

### 10.3 Creating charts from analysis types

With Insight Advisor Analysis Types, you select the type of analysis and the fields to use. Insight Advisor then generates charts that provide that analysis. Analysis types range from standard analyses, such as breakdowns or trends over time, to more advanced analyses, such as calculating mutual information between datasets or k-means clustering. This helps you quickly generate visualizations, narrative interpretations, and whole dashboards.

Do the following:

1. Click **Insight Advisor**.
2. Click **Create an analysis**.
3. Select **Clustering (k-means)**.

## 10 The fifth and sixth sheets: Insights sheet and Manager dashboard

---

4. Select *Sales* and change the aggregation to **avg**.
5. Select *Cost* and change the aggregation to **avg**.
6. Select *Customer*.
7. On the generated scatter plot, click **Add to sheet** and select *Insights*.
8. Click **Insight Advisor**.

Feel free to move and resize the visualizations to match the screen shot above.

### 10.4 Create a sheet from analysis types

Some Insight Advisor analysis types, labeled as smart sheets, generate whole sheets of visualizations. Smart sheets help you quickly build dashboards for analysis. Some smart sheets require that time periods be defined in your app's load script, logical model, or autocalendar.

**Do the following:**

1. Click **Insight Advisor**.
2. Click **Create an analysis**.
3. Select **Period changes (detailed)**.
4. Select *GrossSales*.
5. Select *Manager*.
6. Select *Date*.
7. Click **Open analysis**.
8. In the analysis properties panel, under **Parameters**, change the almost limit to *100* and the met limit to *105*.
9. Click **Add to new sheet**.
10. Click **Insight Advisor**.
11. Click **Sheets** and select **My new sheet**.
12. Click **Edit sheet**.
13. Rename the sheet to: *Manager dashboard*.
14. Click **Done editing**.

These sheets are complete. Next, you will learn about filters. In the assets panel, click **Sheets** and click **Create new sheet**. Name the new sheet *Filters* and open it.

You are done making visualizations. Now you will complement your app with data storytelling.



## 11 Data storytelling


With data storytelling you can create a presentation based on the data in your app. You can take snapshots of selected visualizations and use them in your narrative together with text, shapes, and effects.

You create slides and design the story with your particular audience in mind. In your narrative you focus on key elements and create a convincing story to make your message clear.

An additional, useful feature of data storytelling is that you can easily switch between a snapshot in the presentation and its context in the app. In the app context, you can make new selections and continue the analysis from where you left off in the presentation.

After the analysis, you can resume the presentation.

### 11.1 Taking snapshots

You will start the creation of your story by taking snapshots in the app. In the top right corner, use  to move to the sheet *Dashboard*.

In the presentation you will focus on the three largest regions and analyze the sales trends.

**Do the following:**

1. Right-click the visualization *Sales per Region* and select **Storytelling snapshots > Take snapshot**.
2. In *Region*, select *Nordic*.
3. Right-click the visualization *Top 5 Customers* and select **Storytelling snapshots > Take snapshot**.
4. In the annotation dialog that opens:
  - a. Type *Nordic* in the annotation text field.
  - b. Click outside the annotation dialog to close it.
5. Right-click the visualization *Quarterly Trend* and select **Storytelling snapshots > Take snapshot**.
6. In the annotation dialog that opens:
  - a. Type *Nordic* in the annotation text field.
  - b. Click outside the annotation dialog to close it.
7. In *Region*, deselect *Nordic* and select *USA*.
8. Take snapshots from the same visualizations as for *Nordic* (*Top 5 Customers* and *Quarterly Trend*) and annotate them with *USA*.
9. In *Region*, deselect *USA* and select *Japan*.
10. Take snapshots from the same visualizations as for *Nordic* (*Top 5 Customers* and *Quarterly Trend*) and annotate them with *Japan*.


You have taken all the snapshots you need and can start creating your data storytelling slides.

## 11.2 Creating a simple story







You will create a short and simple story, where the focus is on creating a few slides with snapshots and titles. A screen shot of the slide is presented before the step-by-step instructions.

### Slide 1

Slide with title 'Three largest regions' and three snapshots of pie charts




Do the following:

1. In the toolbar, click  and click **Create new story**.
2. Enter the title *Three largest regions*.  
Click the story *Three largest regions*.  
The data storytelling editor is opened.
3. Click **Aa** and drag a title to the slide.
4. Type the title *Three largest regions*.
5. Click  to see the snapshots that you took previously.
6. Drag the pie chart *Sales per Region* snapshot to the slide.
7. Resize the pie chart and place it to the leftmost on the slide.
8. Click  to open the **Effect library**.
9. Drag the option **Any value** to the pie chart.  
The value *USA* is automatically highlighted.
10. Copy the pie chart and paste it next to the first one. You can either use Ctrl+C and Ctrl+V or  and  in the toolbar.
11. In the new pie chart, click  and select *Nordic* in the list **Select data point**.
12. In the same manner as for the second pie chart, create a third pie chart and highlight *Japan*.
13. Click **Save** (only if you are using Qlik Sense Desktop).

The slide is complete.

## Slide 2-4

Slide with title 'Nordic' and two snapshots of a bar chart and a line chart.



Slides 2-4 show the top five customers and the quarterly sales trend for the three regions. The snapshots are stored in the library in the order they were taken, with the latest one at the top. If you have followed the procedures when taking these snapshots, the two at the top should be Japan, the two ones below, USA, and the remaining two, Nordic.

## Do the following:

1. In the left-hand corner, click and add a blank slide.
2. Click to see the snapshots.
3. Drag the *Top 5 Customers* bar chart for *Nordic* to the slide.
4. Drag the *Quarterly Trend* line chart for *Nordic* to the slide.
5. Click **Aa** and drag a title to the slide.
6. Type the title *Nordic*.
7. Resize and align title and snapshots according to the screenshots.
8. Right-click the sheet *Nordic* in the story timeline to the left and select **Duplicate** to create a new sheet that can be used as a template for the next sheet.
9. Change the title to *USA*.
10. Select the *Top 5 Customers* snapshot and click to open the **Replace snapshot dialog** where you select the second snapshot in the list. If you followed the instructions it has the annotation *USA*.



You can right-click the snapshot and select **Go to source**, if you want to see the selections in that version of the snapshot. Then, click **Return** to go back to the story.


11. Replace the *Quarterly Trend* snapshot just as you did with the *Top 5 Customers* snapshot.
12. Duplicate the *USA* sheet and adjust it to present *Japan*. Now use the snapshots in the top of the list in the **Replace snapshot dialog**. If you followed the instructions they have the annotation *Japan*.

When analyzing these slides it is important to know that the figures for 2014 are half-year figures. Extrapolating the figures for the full year would then give different forecasts for the different regions.

The story is complete. Click ► in the upper left corner to play your presentation. You can navigate with the left and right arrow keys.

Close the story and make edits, if needed. Below the slide you have tools for cutting, copying, and pasting that can be useful when you edit your presentation. And, of course, you can use the panel to the right.

### Switching between data storytelling and the app context

In data storytelling, you can switch any time from the presentation to the app context. Right-click the snapshot and select **Go to source** to open the app sheet where the snapshot was taken. This gives you a dynamic option to leave the presentation and make data analysis in response to questions from the audience. When you have finished analyzing, you return to the presentation by clicking  in the toolbar.

The go to source option is also useful for the special purpose of verifying that the right bar charts and line charts are used. When you select **Go to source** you will see which region is selected for that specific snapshot.

### Additional options

There are many options that have not been used in this story. Experiment on your own. Try and add effects to the bar chart. Add a new slide and embed a complete app sheet where you can make selections when you are in play mode. Add URLs or bookmarks to text strings. There is plenty more to discover.

## 11.3 Thank you!

You have reached the end of this tutorial. We hope that you have learned a few things and realized that app creation sometimes can be pretty easy and even somewhat fun. Qlik Sense is a powerful tool that is capable of far more than what has been shown here. This is just the beginning!