Qlik Replicate Support Matrix

In this section:

- Supported platforms (page 2)
- Supported source endpoints (page 3)
- Supported target endpoints (page 10)
- Endpoints supported in bidirectional replication (page 17)
- Supported browsers (page 18)

In addition to providing a complete list of the source and target endpoints supported by Qlik Replicate, the Support Matrix also provides information about which platforms (Windows/Linux) are supported by Qlik Replicate.

Note that depending on your license, some of the listed endpoints may not be available in your version of Qlik Replicate.



For each certified major version of a supported endpoint, Qlik performs a complete set of compatibility tests on one minor version in the same release family. Once certified, any minor versions in that family will also be supported, providing backward compatibility with the major version is preserved. For example, Oracle 19.x means that Oracle 19.0, 19.3 and 19.5 are supported as well.

If an incompatibility is discovered in a minor version, a note to this effect will be added to the Support Matrix until such time the issue is resolved.



1 Supported platforms

1.1 Supported Windows platforms

Qlik Replicate can be installed on any of the following Windows platforms:

- Windows Server 2012 (64-bit)
- Windows Server 2012 R2 (64-bit)
- Windows Server 2016 (64-bit)
- Windows Server 2019 (64-bit)
- Windows Server 2022 (64-bit)



Windows Server 2022 is supported from Replicate May 2022 Service Release 02 only.

1.2 Supported Linux platforms

Qlik Replicate can be installed on the following Linux platforms:

• Red Hat Enterprise Linux 7.x (where x ≥ 4) and 8.x (64-bit)



Although Qlik Replicate is certified on Red Hat, it is also fully supported on any corresponding and compatible Linux distribution, such as CentOS.

• Amazon Linux 2 (on Amazon EC2)

2 Supported source endpoints

This section lists the source endpoint versions supported by Replicate, according to endpoint type.

- Cloud-based (page 3)
- ARC-based (page 5)
- AIS-based (page 5)
- File (page 5)
- Data Lake (page 6)
- Relational databases (page 6)
- Data warehouses (page 7)
- ODBC (page 7)
- NoSQL (page 8)
- Other (page 8)

2.1 Cloud-based

Supported Cloud-based sources

Endpoint	Supported versions	Windows	Red Hat Linux
Amazon Aurora MySQL Supported via the MySQL source endpoint.	Same as the MySQL source endpoint.	√	√
AWS Aurora Cloud for PostgreSQL	Same as the PostgreSQL source endpoint (starting from 10.7)	✓	✓
Amazon RDS for MySQL	Same as the MySQL source endpoint.	✓	✓
Amazon RDS for MariaDB Supported via the MySQL source endpoint.	Same as the MySQL source endpoint (starting from 10.3).	✓	√
Amazon RDS for PostgreSQL	Same as the PostgreSQL source endpoint.	✓	✓
Amazon RDS for SQL Server	Same as the Microsoft SQL Server source endpoint (starting from 2014)	√	√
Amazon RDS for Oracle Supported via the Oracle source endpoint.	Same as the Oracle source endpoint (starting from 11.2)	√	√
Google Cloud SQL for PostgreSQL	Same as the PostgreSQL source endpoint (starting from 10.0)	✓	✓

Endpoint	Supported versions	Windows	Red Hat Linux
Google Cloud SQL for MySQL	Same as the MySQL source endpoint	✓	✓
 Use the Microsoft Azure SQL Managed Instance endpoint to capture changes from the logs. Use the Microsoft Azure SQL (MS-CDC) endpoint to capture changes using MS-CDC. 	Same as the Microsoft SQL Server source endpoint.	√	√
Microsoft Azure SQL Database Supported via the Microsoft Azure SQL (MS-CDC) endpoint.	Same as the Microsoft SQL Server source endpoint.	√	✓
Microsoft Azure Database for MySQL	Same as the MySQL source endpoint (starting from 8.0)	✓	✓
Microsoft Azure Database for PostgreSQL Supported via the PostgreSQL source endpoint.	Same as the PostgreSQL source endpoint (starting from 11.0)	✓	✓
Microsoft Azure Database for PostgreSQL - Flexible Server Supported via the PostgreSQL source endpoint.	N/A	✓	✓
MongoDB Atlas Supported via the MongoDB (Standard) source endpoint.	Same as the MongoDB (Standard) source endpoint.	√	√
Oracle on Oracle Cloud Supported via the Oracle source endpoint.	Same as the Oracle source endpoint (starting from 11.2)	✓	√
Salesforce (Streaming CDC)	N/A	✓	√
Salesforce (Incremental Load)	N/A	√	✓

2.2 ARC-based

Supported ARC-based sources

Endpoint	Supported Versions	Windows	Red Hat Linux
IBM IMS (ARC)	IBM z/OS:	✓	✓
	2.3 and 2.4		
	IMS:		
	13, 14, and 15.x		
IBM VSAM Batch (ARC)	IBM z/OS:	✓	✓
	2.3		

2.3 AIS-based

Supported AIS-based sources

Endpoint	Supported Versions	Windows	Red Hat Linux
HP Nonstop SQL/MP (AIS)	Himalaya:	✓	✓
HP Nonstop Enscribe (AIS)	G06.32		
	Itanium:		
	H06.22/J06.14		
OpenVMS RMS (AIS)	Alpha:	✓	✓
	8.3		
	Itanium:		
	8.3		

2.4 File

Supported file-based sources

Endpoint	Supported Versions	Windows	Red Hat Linux
File	N/A	✓	✓
File Channel	N/A	✓	✓

2.5 Data Lake

Supported data lake sources

Endpoint	Supported Versions	Windows	Red Hat Linux
Hadoop	Please contact your Qlik Account Manager for support details.	✓	√

2.6 Relational databases

Supported relational database sources

Endpoint	Supported Versions	Windows	Red Hat Linux
IBM DB2 for LUW	10.5, and 11.1, and 11.5 10.5 with fix pack 5 is not supported.	√	✓
IBM DB2 for z/OS	DB2: 12, and 12.1 IBM z/OS: 2.3, 2.4, and 2.5	√	√
IBM DB2 for iSeries	7.2, 7.3, and 7.4	√	√
IBM Informix	12.1, and 14.10	✓	
Microsoft SQL Server	2014, 2016, 2017, and 2019	✓	✓
Microsoft SQL Server (MS- CDC)	2014, 2016, 2017, and 2019	✓	✓
MySQL	5.7, and 8.0	✓	✓
MariaDB Supported via the MySQL source endpoint.	10.3, 10.4, and 10.5	√	√

Endpoint	Supported Versions	Windows	Red Hat Linux
Percona Supported via the MySQL source endpoint.	Same as the MySQL source endpoint, (starting from 5.6.28)	X	√
Oracle	11.x (starting from 11.2.0.4), 12.x, 18.x, and 19.x If you set the Oracle compatibility parameter, make sure you specify a version supported by Replicate. For example, if you are working with version 11.2.0.4, you cannot set an earlier version as the compatibility version.	✓	√
PostgreSQL	10.x, 11.x, 12.x, 13.x, and 14.x	√	√
SAP Sybase ASE	16	√	J
SAP HANA	1.0 and 2.0	√	√

2.7 Data warehouses

Supported data warehouse sources

Endpoint	Supported Versions	Windows	Red Hat Linux
Teradata Database	15.x, 16.x, and 17.x	✓	✓

2.8 ODBC



The ODBC and ODBC with CDC source endpoints can be used to access sources that are not included in Qlik Replicate's extensive Support Matrix. However, unless enabled through Professional Services and approved by your Account Manager, ODBC source endpoint types should not be used. Additionally, ODBC source endpoint types should not be used to access any sources already listed in the Support Matrix.

Supported ODBC sources

Endpoint	Supported Versions	Windows	Red Hat Linux
ODBC	3.0 and 3.5	✓	✓
ODBC with CDC	3.0 and 3.5	✓	✓

2.9 NoSQL

Supported NoSQL sources

Endpoint	Supported Versions	Windows	Red Hat Linux
MongoDB (Standard)	4.x (starting from 4.2), 5.x	✓	✓

2.10 Other

Other supported sources

Endpoint	Supported Versions	Windows	Red Hat Linux
SAP Application	 Supported backend endpoints: Microsoft SQL Server Oracle IBM DB2 for LUW SAP HANA See <u>Relational Databases</u> above for version and platform information.	√	√
SAP Application (DB)	 Oracle Microsoft SQL Server IBM DB2 for LUW IBM DB2 for z/OS SAP HANA See Relational Databases above for version and platform information.	✓	√
SAP Extractor	N/A	✓	✓

Endpoint	Supported Versions	Windows	Red Hat Linux
SAP ODP	The SAP ODP endpoint uses ODP API 2.0 which is available from the following SAP basis levels and above: • PI_BASIS 730 SP 14 (part of SAP NetWeaver 7.30 SP 14) • PI_BASIS 731 SP 16 (part of SAP NetWeaver 7.03 SP 16 and 7.31 SP 16) • PI_BASIS 740 SP 11 (part of SAP NetWeaver 7.40 SP 11) • SAP_BW 750 SP 0 (incl. former PI_BASIS packages) SAP_BASIS and PI_BASIS are interchangeable. In newer systems, the component name is SAP_BASIS. For more information, see SAP Note 1931427. For information on how to release extractors so that they are available for the ODP API, see SAP Note 2232584.	•	

2.11

3 Supported target endpoints

This section lists the target endpoint versions supported by Qlik Replicate, according to endpoint type.

- Cloud-based (page 10)
- Streaming (page 14)
- File-based (page 15)
- Hadoop (page 15)
- Data warehouses (page 15)
- Relational databases (page 16)
- ODBC (page 16)

3.1 Cloud-based

Cloud-based supported target endpoints

Endpoint	Supported Versions	Windows	Red Hat Linux
Amazon Aurora MySQL Supported via the MySQL target endpoint.	Same as the MySQL target endpoint.	√	√
Amazon Aurora PostgreSQL Supported via the PostgreSQL target endpoint.	Same as the PostgreSQL target endpoint.	√	√
Amazon MSK	N/A	✓	√
Amazon RDS for MariaDB Supported via the MySQL target endpoint.	Same as the MySQL target endpoint.	√	√
Amazon RDS for MySQL Supported via the MySQL target endpoint.	Same as the MySQL target endpoint (starting from 5.6)	√	√

Endpoint	Supported Versions	Windows	Red Hat Linux
Amazon RDS for SQL Server	Same as the Microsoft SQL Server target endpoint (starting from 2014)	√	√
Supported via the Microsoft SQL Server target endpoint.			
Amazon RDS for Oracle	Same as the Oracle target endpoint (starting from 11.2)	√	√
Supported via the Oracle target endpoint.			
Amazon RDS for PostgreSQL	Same as the PostgreSQL target endpoint.	✓	√
Supported via the PostgreSQL target endpoint.			
Amazon Redshift	N/A	√	√
Snowflake on AWS (S3 storage)	N/A	✓	√
Snowflake on AWS (Snowflake storage)	N/A	✓	√
Snowflake on Azure (Azure Blob storage)	N/A	√	Х
Snowflake on Azure (Snowflake storage)	N/A	√	✓
Snowflake on Google (Google Cloud Storage)	N/A	√	√
Amazon S3	N/A	✓	√
Amazon EMR	5.x (starting from 5.2.x) and 6.x	✓	√
Google Cloud SQL for MySQL	Same as the MySQL target endpoint.	✓	√
Google Cloud SQL for PostgreSQL	Same as the PostgreSQL target endpoint (starting from 10.0)	✓	√

Endpoint	Supported Versions	Windows	Red Hat Linux
Google Cloud Storage	N/A	√	✓
Google Cloud BigQuery	N/A	√	✓
Google Dataproc	1.x (starting from 1.2) and 2.x	✓	✓
Google Cloud SQL for SQL Server	Same as the Microsoft SQL Server target endpoint.	✓	✓
Microsoft Azure SQL Synapse Analytics (Blob storage)	N/A	√	Х
Microsoft Azure SQL Synapse Analytics (Data Lake Storage Gen2)	N/A	√	✓
Microsoft Azure SQL Database	Same as the Microsoft SQL Server target endpoint.	√	✓
Microsoft Azure SQL Managed Instance Supported via the Microsoft SQL Server target endpoint.	Same as the Microsoft SQL Server target endpoint.	√	√
Microsoft Azure Database for MySQL	Same as the MySQL target endpoint, (starting from 5.6)	✓	✓
Microsoft Azure Database for PostgreSQL	Same as the PostgreSQL target endpoint (starting from 9.5)	√	√
Microsoft Azure Database for PostgreSQL - Flexible Server Supported via the PostgreSQL target endpoint.	N/A	√	√

Endpoint	Supported Versions	Windows	Red Hat Linux
Databricks (Cloud Storage) Databricks implementations supported via the Databricks (Cloud Storage) endpoint: • Databricks on AWS • Databricks on Google Cloud Platform • Microsoft Azure Databricks	All-purposes (Interactive) cluster: • 9.1 LTS • 10.4 LTS • 11.3 LTS 11.3 LTS requires Replicate November 2022 SR or later. SQL Warehouse cluster: N/A		√
Databricks Lakehouse (Delta)	 All-purposes (Interactive) cluster: 9.1 LTS 10.4 LTS 11.3 LTS 11.3 LTS requires Replicate November 2022 SR or later. SQL Warehouse cluster: N/A	√	√
IBM Netezza Performance Server	N/A	√	Х
Microsoft Azure ADLS (Data Lake Storage Gen1 or Data Lake Storage Gen2)	N/A	✓	✓

Endpoint	Supported Versions	Windows	Red Hat Linux
Microsoft Azure HDInsight (Blob, Data Lake Storage Gen1, or Data Lake Storage Gen2)	4.x and 5.x	√	√
Oracle Autonomous Data Warehouse Supported via the Oracle target endpoint.	Same as the Oracle target endpoint (starting from Oracle 18.x)	√	√
Oracle on Oracle Cloud Supported via the Oracle target endpoint.	Same as the Oracle target endpoint (starting from Oracle 12.2)	✓	✓
Teradata Vantage Supported via the Teradata target endpoint.	16.20 and 17.10	√	√

3.2 Streaming

Streaming supported target endpoints

Endpoint	Supported Versions	Windows	Red Hat Linux
Kafka Certified with the following Schema Registry servers:	1.x, 2.x, 3.x	√	√
 Confluent Cloud Confluent Schema Registry 5.x (starting from 5.4), 6.x, and 7.x Cloudera Schema Registry (based on Hortonworks) 			
Confluent Cloud for Kafka Supported via the Kafka target endpoint	N/A	√	✓

Endpoint	Supported Versions	Windows	Red Hat Linux
Microsoft Azure Event Hubs	N/A	✓	Х
Amazon Kinesis Data Streams	N/A	✓	✓
MapR Streams	Please contact your Qlik Account Manager for support details.	X	√

3.3 File-based

File-based supported target endpoints

Endpoint	Supported Versions	Windows	Red Hat Linux
File	N/A	✓	✓
File Channel	N/A	✓	✓

3.4 Hadoop

Hadoop supported target endpoints

Trade of outported target and outported					
Endpoint	Supported Versions	Windows	Red Hat Linux		
Hadoop - Cloudera	7.x	✓	✓		
Hadoop - Hortonworks	3.x (starting from 3.1)	✓	✓		
Hortonworks Data Platform (HDP)	3.x (starting from 3.1)	✓	✓		
Cloudera Data Platform (CDP) Private Cloud	7.x	✓	✓		

3.5 Data warehouses

Data warehouses supported target endpoints

Endpoint	Supported Versions	Windows	Red Hat Linux
Actian Vector	6.0	✓	✓
Vertica	11.x	✓	✓
IBM Netezza	6.x and 7.x	✓	X
Microsoft APS PDW	AU2	✓	Х
Pivotal Greenplum	5.x, and 6.x	✓	✓

Endpoint	Supported Versions	Windows	Red Hat Linux
SAP Sybase IQ	15.x and 16.x	✓	X
Teradata Database	15.x, 16.x, and 17.x	✓	✓
SingleStore	6.0.18	✓	

3.6 Relational databases

Relational databases supported target endpoints

Endpoint	Supported Versions	Windows	Red Hat Linux
Microsoft SQL Server	2014, 2016, 2017, and 2019	✓	✓
MySQL	5.7, and 8.0	✓	✓
MariaDB	10.3, 10.4, and 10.5	✓	✓
Supported via the MySQL target endpoint.			
Oracle	11.x, 12.x, 18.x, 19.x, and 21.x	✓	✓
PostgreSQL	10.x, 11.x, 12.x, 13.x, and 14.x	✓	✓
SAP Sybase ASE	16.x	✓	Х
SAP HANA	2.0	✓	✓

3.7 ODBC



The ODBC target endpoint, can be used to access targets that are not included in Qlik Replicate's extensive Support Matrix. However, unless enabled through Professional Services and approved by your Account Manager, the ODBC target endpoint should not be used. Additionally, the ODBC target endpoint should not be used to access any targets already listed in the Support Matrix.

ODBC supported target endpoints

Endpoint	Supported Versions	Windows	Red Hat Linux
ODBC	3.0 and 3.5	✓	✓

4 Endpoints supported in bidirectional replication

Bidirectional tasks support the following endpoints:

Source Endpoints:

- Oracle
- Microsoft Azure SQL (MS-CDC)
- Microsoft SQL Server (MS-CDC)
- Microsoft SQL Server
- MySQL
- PostgreSQL
- File Channel
- SAP Sybase ASE
- · IBM DB2 for iSeries
- · Amazon RDS for MySQL
- Amazon RDS for PostgreSQL
- · Amazon RDS for SQL Server
- AWS Aurora Cloud for PostgreSQL
- Google Cloud SQL for MySQL
- Google Cloud SQL for PostgreSQL
- IBM DB2 for z/OS
- · IBM DB2 for LUW

Target Endpoints:

- Oracle
- Microsoft SQL Server
- MySQL
- Google Cloud SQL for MySQL
- Google Cloud SQL for PostgreSQL
- Microsoft Azure SQL Database
- PostgreSQL
- ODBC
- File Channel
- SAP Sybase ASE

5 Supported browsers

The following browsers are supported:

- Microsoft Edge (with automatic updates turned on)
- Mozilla Firefox (with automatic updates turned on)
- Google Chrome (with automatic updates turned on)



Displaying the console in a window that spans multiple vertical windows is not supported.